sach
air technologies®

PRODUCT CATALOGUE 2025



sachvac.com

We have pleasure in presenting our latest product catalogue / price guide which, including recent additions to our product range, offers you everything you will need to install the most complete central vacuum system.

Through constant investment in research and development since the Company's formation in 1992, SACH is able to offer you the most technically advanced products in order to provide the complete solution both for domestic and commercial central vacuum applications.

Our business goal is the complete satisfaction of our clients by means of constant product evolution and the most personal service possible.

Thank you for your confidence.



We care about your time,
we care about you

Contents

DOMESTIC CENTRAL VACUUM UNITS	
VAC DYNAMIC	04
VAC DIGITAL	05
VAC SUPERMINI & MINI NEW	06
AIRBAG 20L & AIRBAG 28L NEW	06
INTEGRA	07
VAC3	08-09
COMMERCIAL SECTOR	
EVOBLOCK	10
EVO MOTOR GROUP WITH ELECTRONIC CONTROL	11
EVO MOTOR GROUP WITH MECHANICAL CONTROL	12
EVODUST SEPARATOR	13
CYCLONIC HOPPERS	15
INDUSTRIAL ACCESSORIES	16-18
GALV. STEEL MATERIAL	19
EXHAUST AND VENT. MATERIAL	20
ACCESSORIES	21
INLET VALVES AND TRIM-PLATES	22-29
MOUNTING PLATES	30
SWEEP INLETS	31
CLEANING ACCESSORIES	
BRUSHES	32-36
HOSES	37-41
VROOM	41
CLEANING KITS	42-45
TOOL SETS	46
RETRACTABLE HOSE SYSTEMS	47-56
ROBOT	57-58
CENTRAL VACUUM FITTINGS	
SLIMLINE VAC	59-60
Ø51MM MATERIAL	61-64
Ø50-63-80-100MM MATERIAL	65
OTHER INSTALLATION MATERIAL	66-67
SPARE PARTS	68-72
TOOLS	72

Domestic Central Vacuum units

VAC DYNAMIC

	PRODUCT	REFERENCE
	VAC DYNAMIC 1.6	**UD6001-SC/E**
	VAC DYNAMIC 1.6 +FAMILY ON/OFF KIT 8M Ø32 +FAMILY ON/OFF KIT 8M Ø35	**UD6001/32/8-SC** **UD6001/35/8-SC**
	VAC DYNAMIC 1.6 +FAMILY ON/OFF KIT 10M Ø32 +FAMILY ON/OFF KIT 10M Ø35	**UD6001/32/10-SC** **UD6001/35/10-SC**
	VAC DYNAMIC 1.6 +CLEANING KIT FOR HAH SYSTEM Ø32 +CLEANING KIT FOR HAH SYSTEM Ø35	**UD6001/32/HAH-SC** **UD6001/35/HAH-SC**
	VAC DYNAMIC 1.8	**UD6002-SC/E**
	VAC DYNAMIC 1.8 +FAMILY ON/OFF KIT 8M Ø32 +FAMILY ON/OFF KIT 8M Ø35	**UD6002/32/8-SC** **UD6002/35/8-SC**
	VAC DYNAMIC 1.8 +FAMILY ON/OFF KIT 10M Ø32 +FAMILY ON/OFF KIT 10M Ø35	**UD6002/32/10-SC** **UD6002/35/10-SC**
	VAC DYNAMIC 1.8 +CLEANING KIT FOR HAH SYSTEM Ø32 +CLEANING KIT FOR HAH SYSTEM Ø35	**UD6002/32/HAH-SC** **UD6002/35/HAH-SC**
	VAC DYNAMIC 2.4	**UD6003-SC/E**
	VAC DYNAMIC 2.4 +FAMILY ON/OFF KIT 8M Ø32 +FAMILY ON/OFF KIT 8M Ø35	**UD6003/32/8-SC** **UD6003/35/8-SC**
	VAC DYNAMIC 2.4 +FAMILY ON/OFF KIT 10M Ø32 +FAMILY ON/OFF KIT 10M Ø35	**UD6003/32/10-SC** **UD6003/35/10-SC**
	VAC DYNAMIC 2.4 +CLEANING KIT FOR HAH SYSTEM Ø32 +CLEANING KIT FOR HAH SYSTEM Ø35	**UD6003/32/HAH-SC** **UD6003/35/HAH-SC**

CE Mark · INMETRO Certification · CB Certification · RoHS · Insulation Class 2 · High energy efficiency · Soft-start · Cartridge filters

TECHNICAL CHARACTERISTICS

	VAC DYNAMIC 1.6	VAC DYNAMIC 1.8	VAC DYNAMIC 2.4
Reference	**UD6001**	**UD6002**	**UD6003**
Power	1.600 W	1.800 W	1.200 W x2
Power supply	230 V	230 V	230 V
Frequency	50 Hz	50 Hz	50 Hz
Airwatts	591 W	643 W	835 W
Max. Waterlift	3.100 mmH_2O	3.300 mmH_2O	2.800 mmH_2O
Max. Air-flow	190 m^3/h	210 m^3/h	294 m^3/h
Noise Level	<60 dB	<60 dB	<60 dB
Filtration system	HEPA+PRO-TECTA	HEPA+PRO-TECTA	HEPA+PRO-TECTA
Dust container capacity	20 L	28 L	28 L
Digital Display	NO	NO	NO
Hepa filter surface area	6000 cm^2	6000 cm^2	6000 cm^2
Pro-Tecta filter surface area	1300 cm^2	1300 cm^2	1300 cm^2
Weight	15 Kg	16 Kg	17 Kg
Number of inlet valves	8	12	20
Furthest valve from the unit	30 m	50 m	60 m
Size of Home	350 m^2	500 m^2	900 m^2

sach air technologies

Domestic Central Vacuum units

VAC DIGITAL

PRODUCT		REFERENCE
	VAC DIGITAL 1.6	**UD6004-SC/E**
	VAC DIGITAL 1.6 +FAMILY ON/OFF PLUS KIT 8M Ø32 +FAMILY ON/OFF PLUS KIT 8M Ø35	**UD6004/32/8-SC** **UD6004/35/8-SC**
	VAC DIGITAL 1.6 +FAMILY ON/OFF PLUS KIT 10M Ø32 +FAMILY ON/OFF PLUS KIT 10M Ø35	**UD6004/32/10-SC** **UD6004/35/10-SC**
	VAC DYNAMIC 1.6 +CLEANING KIT FOR HAH SYSTEM Ø32 +CLEANING KIT FOR HAH SYSTEM Ø35	**UD6004/32/HAH-SC** **UD6004/35/HAH-SC**
	VAC DIGITAL 1.8	**UD6005-SC/E**
	VAC DIGITAL 1.8 +FAMILY ON/OFF PLUS KIT 8M Ø32 +FAMILY ON/OFF PLUS KIT 8M Ø35	**UD6005/32/8-SC** **UD6005/35/8-SC**
	VAC DIGITAL 1.8 +FAMILY ON/OFF PLUS KIT 10M Ø32 +FAMILY ON/OFF PLUS KIT 10M Ø35	**UD6005/32/10-SC** **UD6005/35/10-SC**
	VAC DIGITAL 1.8 +CLEANING KIT FOR HAH SYSTEM Ø32 +CLEANING KIT FOR HAH SYSTEM Ø35	**UD6005/32/HAH-SC** **UD6005/35/HAH-SC**
	VAC DIGITAL 2.4	**UD6006-SC/E**
	VAC DIGITAL 2.4 +FAMILY ON/OFF PLUS KIT 8M Ø32 +FAMILY ON/OFF PLUS KIT 8M Ø35	**UD6006/32/8-SC** **UD6006/35/8-SC**
	VAC DIGITAL 2.4 +FAMILY ON/OFF PLUS KIT 10M Ø32 +FAMILY ON/OFF PLUS KIT 10M Ø35	**UD6006/32/10-SC** **UD6006/35/10-SC**
	VAC DIGITAL 2.4 +CLEANING KIT FOR HAH SYSTEM Ø32 +CLEANING KIT FOR HAH SYSTEM Ø35	**UD6006/32/HAH-SC** **UD6006/35/HAH-SC**

CE Mark · INMETRO Certification · CB Certification · RoHS · Insulation Class 2 · High energy efficiency · Soft-start · Display Digital · Speed Control · Cartridge filters

TECHNICAL CHARACTERISTICS

	VAC DIGITAL 1.6	VAC DIGITAL 1.8	VAC DIGITAL 2.4
Reference	**UD6004**	**UD6005**	**UD6006**
Power	1.600 W	1.800 W	1.200 W x2
Power supply	230 V	230 V	230 V
Frequency	50 Hz	50 Hz	50 Hz
Airwatts	591 W	643 W	835 W
Max. Waterlift	3.100 mmH_2O	3.300 mmH_2O	2.800 mmH_2O
Max. Air-flow	190 m^3/h	210 m^3/h	294 m^3/h
Noise Level	<60 dB	<60 dB	<60 dB
Filtration system	HEPA+PRO-TECTA	HEPA+PRO-TECTA	HEPA+PRO-TECTA
Dust container capacity	20 L	28 L	28 L
Digital Display	YES	YES	YES
Hepa filter surface area	6000 cm^2	6000 cm^2	6000 cm^2
Pro-Tecta filter surface area	1300 cm^2	1300 cm^2	1300 cm^2
Weight	15 Kg	16 Kg	17 Kg
Number of inlet valves	8	12	20
Furthest valve from the unit	30 m	50 m	60 m
Size of Home	350 m^2	500 m^2	900 m^2

VAC SUPERMINI-MINI & AIRBAG 20L-28L

NEW


PRODUCT	REFERENCE
 VAC SUPERMINI	**UD6010-SC/E**
 VAC MINI	**UD6011-SC/E**
 AIRBAG 20L 	**UD6014-SC/E**
 AIRBAG 28L 	**UD6015-SC/E**





AIRBAG 20L & AIRBAG 28L





CE Mark · INMETRO Certification · CB Certification · RoHS · Insulation Class 1 · High energy efficiency · Soft-start · Cartridge filter · Filter bag

TECHNICAL CHARACTERISTICS


	VAC SUPERMINI	VAC MINI	AIRBAG 20L	AIRBAG 28L
Reference	**UD6010-SC**	**UD6011-SC**	**UD6014-SC**	**UD6015-SC**
Power	1.500 W	1.500 W	1.500 W	1.500 W
Power supply	230 V	230 V	230 V	230 V
Frequency	50 Hz	50 Hz	50 Hz	50 Hz
Airwatts	550 W	620 W	550 W	620 W
Max. Waterlift	3.000 mmH_2O	3.200 mmH_2O	3.000 mmH_2O	3.200 mmH_2O
Max. Air-flow	190 m^3/h	200 m^3/h	190 m^3/h	200 m^3/h
Noise Level	<60 dB	<60 dB	<60 dB	<60 dB
Filtration system	HEPA	HEPA	HEPA + DUST BAG	HEPA + DUST BAG
Filters capacity	5.000 cm^2	5.000 cm^2	5.000 cm^2 + 25L	5.000 cm^2 + 25L
Display	NO	NO	NO	NO
Dust container	20 L	28 L	20 L	28 L
Weight	11 Kg	12 Kg	11 Kg	12 Kg
Nº of inlet valves	4-5	6-7	4-5	6-7
Furthest valve	30 m	40 m	30 m	40 m
Size of Home	250 m^2	350 m^2	250 m^2	350 m^2

INTEGRA

PRODUCT	REFERENCE
 INTEGRA	**UD7001-SC/E**
INTEGRA +FAMILY STANDARD KIT 8M Ø32	**UD7002/32/8-SC**
+FAMILY STANDARD KIT 8M Ø35	**UD7002/35/8-SC**
INTEGRA +FAMILY ON/OFF KIT 8M Ø32	**UD7003/32/8-SC**
+FAMILY ON/OFF KIT 8M Ø35	**UD7003/35/8-SC**
INTEGRA +CLEANING KIT FOR HAH SYSTEM Ø32	**UD7005/32/HAH-SC**
+CLEANING KIT FOR HAH SYSTEM Ø35	**UD7005/35/HAH-SC**

INTEGRA COMBO

NEW



2x INTEGRA VAC CONNECTED IN PARALLEL
DOUBLE AIRFLOW
MORE VACUUM POWER
THE PERFECT SOLUTION FOR LARGE FLATS

CE Mark · RoHS · Insulation Class 2 · High energy efficiency · Soft-start · Filter bag · Exhaust filter Hepa H12 & Active Carbon

TECHNICAL CHARACTERISTICS

	INTEGRA	INTEGRA COMBO
Reference	**UD7001-SC**	**2x UD7001-SC**
Power	1.400 W	2x 1.400 W
Power supply	230 V	230 V
Frequency	50 Hz	50 Hz
Airwatts	532W	1.064W
Max. Waterlift	2.850 mmH_2O	2.850 mmH_2O
Max. Air-flow	187 m^3/h	374 m^3/h
Noise Level	<60 dB	<60 dB
Filtration system	5-PLY BAG	5-PLY BAG
Dust container capacity	4 L	4+4 L
Display	NO	NO
Weight	4 Kg	4+4 Kg
Number of inlet valves	4-5	10
Furthest valve from the unit	25 m	40 m
Size of Home	200 m^2	350 m^2

VAC^3 DYNAMIC

PRODUCT		REFERENCE
	VAC 3 DYNAMIC 1.5	**UD7100-SC/E**
	VAC 3 DYNAMIC 1.5 +FAMILY ON/OFF KIT 8M Ø32 +FAMILY ON/OFF KIT 8M Ø35	 **UD7101/32/8-SC** **UD7101/35/8-SC**
	VAC 3 DYNAMIC 1.5 +FAMILY ON/OFF KIT 10M Ø32 +FAMILY ON/OFF KIT 10M Ø35	 **UD7101/32/10-SC** **UD7101/35/10-SC**
	VAC 3 DYNAMIC 1.5 +CLEANING KIT FOR HAH SYSTEM Ø32 +CLEANING KIT FOR HAH SYSTEM Ø35	 **UD7101/32/HAH-SC** **UD7101/35/HAH-SC**
	VAC 3 DYNAMIC 1.7	**UD7110-SC/E**
	VAC 3 DYNAMIC 1.7 +FAMILY ON/OFF KIT 8M Ø32 +FAMILY ON/OFF KIT 8M Ø35	 **UD7111/32/8-SC** **UD7111/35/8-SC**
	VAC 3 DYNAMIC 1.7 +FAMILY ON/OFF KIT 10M Ø32 +FAMILY ON/OFF KIT 10M Ø35	 **UD7111/32/10-SC** **UD7111/35/10-SC**
	VAC 3 DYNAMIC 1.7 +CLEANING KIT FOR HAH SYSTEM Ø32 +CLEANING KIT FOR HAH SYSTEM Ø35	 **UD7111/32/HAH-SC** **UD7111/35/HAH-SC**

CE Mark · RoHS · Insulation Class 2 · High energy efficiency · Soft-start · Cartridge filters · Dust Bag · Self-Cleaning Bag

TECHNICAL CHARACTERISTICS

	VAC 3 DYNAMIC 1.5	**VAC 3 DYNAMIC** 1.7
Reference	**UD7100**	**UD7110**
Power	1.500 W	1.700 W
Power supply	230 V	230 V
Frequency	50 Hz	50 Hz
Airwatts	750 W	740 W
Max. Waterlift	3.700 mmH_2O	3.100 mmH_2O
Max. Air-flow	187 m^3/h	289 m^3/h
Noise Level	<60 dB	<60 dB
Filtration system	TRIPLE SYSTEM	TRIPLE SYSTEM
Dust container capacity	28 L	28 L
Display Digital	NO	NO
Hepa filter surface area	6000 cm^2	6000 cm^2
Pro-Tecta filter surface area	1300 cm^2	1300 cm^2
Weight	16 Kg	16 Kg
Number of inlet valves	10	>12
Furthest valve from the unit	40 m	70 m
Size of Home	<500 m^2	>500 m^2

Domestic Central Vacuum units

VAC^3 DIGITAL

	PRODUCT	REFERENCE
	VAC 3 DIGITAL 1.5	**UD7120-SC/E**
	VAC 3 DIGITAL 1.5 +FAMILY ON/OFF PLUS KIT 8M Ø32 +FAMILY ON/OFF PLUS KIT 8M Ø35	 **UD7121/32/8-SC** **UD7121/35/8-SC**
	VAC 3 DIGITAL 1.5 +FAMILY ON/OFF PLUS KIT 10M Ø32 +FAMILY ON/OFF PLUS KIT 10M Ø35	 **UD7121/32/10-SC** **UD7121/35/10-SC**
	VAC 3 DIGITAL 1.5 +CLEANING KIT FOR HAH SYSTEM Ø32 +CLEANING KIT FOR HAH SYSTEM Ø35	 **UD7121/32/HAH-SC** **UD7121/35/HAH-SC**
	VAC 3 DIGITAL 1.7	**UD7130-SC/E**
	VAC 3 DIGITAL 1.7 +FAMILY ON/OFF PLUS KIT 8M Ø32 +FAMILY ON/OFF PLUS KIT 8M Ø35	 **UD7131/32/8-SC** **UD7131/35/8-SC**
	VAC 3 DIGITAL 1.7 +FAMILY ON/OFF PLUS KIT 10M Ø32 +FAMILY ON/OFF PLUS KIT 10M Ø35	 **UD7131/32/10-SC** **UD7131/35/10-SC**
	VAC 3 DIGITAL 1.7 +CLEANING KIT FOR HAH SYSTEM Ø32 +CLEANING KIT FOR HAH SYSTEM Ø35	 **UD7131/32/HAH-SC** **UD7131/35/HAH-SC**

CE Mark · Insulation Class 2 · High energy efficiency · Soft-start · Display Digital · Speed Control · Dust Bag · Self-Cleaning Bag · Cartridge filters

TECHNICAL CHARACTERISTICS

	VAC 3 DIGITAL 1.5	**VAC 3 DIGITAL** 1.7
Reference	**UD7120**	**UD7130**
Power	1.500 W	1.700 W
Power supply	230 V	230 V
Frequency	50 Hz	50 Hz
Airwatts	750 W	740 W
Max. Waterlift	3.700 mmH_2O	3.100 mmH_2O
Max. Air-flow	187 m^3/h	289 m^3/h
Noise Level	<60 dB	<60 dB
Filtration system	TRIPLE SYSTEM	TRIPLE SYSTEM
Dust container capacity	28 L	28 L
Display Digital	NO	NO
Hepa filter surface area	6000 cm^2	6000 cm^2
Pro-Tecta filter surface area	1300 cm^2	1300 cm^2
Weight	16 Kg	16 Kg
Number of inlet valves	10	>12
Furthest valve from the unit	40 m	70 m
Size of Home	<500 m^2	>500 m^2

EVOBLOCK

PRODUCT		REFERENCE
	EVOBLOCK 2.2 kW SINGLE-PHASE MECHANICAL CONTROL	**ST3280.0-SC**
	EVOBLOCK 3.0 kW THREE-PHASE MECHANICAL CONTROL	**ST3290.1-SC**
	EVOBLOCK 3.0 kW THREE-PHASE ELEC. CONTROL	**ST3290.2-SC**
	EVOBLOCK 5.5 kW THREE-PHASE MECHANICAL CONTROL	**ST3290.3-SC**
	EVOBLOCK 5.5 kW THREE-PHASE ELEC. CONTROL	**ST3290.4-SC**

TECHNICAL CHARACTERISTICS

	EVOBLOCK *2.2kW M.C*	EVOBLOCK *3.0kW M.C*	EVOBLOCK *3.0kW E.C*	EVOBLOCK *5.5kW M.C*	EVOBLOCK *5.5kW E.C*
Reference	**ST3280.0-SC**	**ST3290.1-SC**	**ST3290.2-SC**	**ST3290.3-SC**	**ST3290.4-SC**
Control Type	MECHANICAL	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC
Operators	1	2	2	3	3
Power supply	220V (2~)	380V (3~)	380V (3~)	380V (3~)	380V (3~)
Frequency	50 Hz	50 Hz	50/60 Hz	50 Hz	50/60 Hz
Power	2.2 kW	3.0 kW	3.0/3.6 kW	5.5 kW	5.5/6.6 kW
Motor RPM	2.900 RPM	2.900 RPM	3.500 RPM	2.900 RPM	3.500 RPM
Soft-Start	YES	YES	YES	YES	YES
Max. Waterlift	2.000 mmH_2O	3.000 mmH_2O	3.100 mmH_2O	3.000 mmH_2O	3.100 mmH_2O
Max. Air-flow	320 m^3/h	320 m^3/h	380 m^3/h	500 m^3/h	560 m^3/h
Inverter	NO	NO	YES	NO	YES
Noise level	<70 dB	<70 dB	<70 dB	<70 dB	<70 dB
Filter Surface Area	13.000 cm^2	13.000 cm^2	13.000 cm^2	24.000 cm^2	24.000 cm^2
Ø Inlet/Outlet	63 mm	63 mm	63 mm	80 mm	80 mm
Weight	117 Kg	120 Kg	120 Kg	151 Kg	151 Kg
Dust container capacity	100 L	100 L	100 L	70 L	70 L
Number of inlet valves	60	60	70	80	90
Furthest valve from the unit	80 m	80 m	90 m	100 m	100 m
Size of Home	1.500 m^2	1.500 m^2	1.500 m^2	2.000 m^2	2.500 m^2

sach air technologies

EVO ELECTRONIC MOTOR GROUPS

	PRODUCT	REFERENCE
	EVO ELEC. CONTROL 4.0 kW	**ST0700010E-SC**
	EVO ELEC. CONTROL 5.5 kW	**ST0700011E-SC**
	EVO ELEC. CONTROL 7.5 kW	**ST0700012E-SC**
	EVO ELEC. CONTROL 11.0 kW	**ST0700014E-SC**
	EVO ELEC. CONTROL 15.0 kW	**ST0700015E-SC**
	EVO ELEC. CONTROL 18.5 kW	**ST0700016E-SC**

TECHNICAL CHARACTERISTICS

	EVO 4.0E	EVO 5.5E	EVO 7.5E
Reference	**ST0700010E-SC**	**ST0700011E-SC**	**ST0700012E-SC**
Operators	2	3	4
Power	4.0-4.8 kW	5.5-6.5 kW	7.5-9.0 kW
Power supply	380 V (3~)	380 V (3~)	380 V (3~)
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Electrical consumption	14-16 A	14-18 A	16-20 A
Motor RPM	3.500 RPM	3.500 RPM	3.500 RPM
Soft-Start	YES	YES	YES
Max. Waterlift	2.800 mmH_2O	2.800 mmH_2O	2.900 mmH_2O
Max. Air-flow	499 m^3/h	650 m^3/h	800 m^3/h
Inverter	YES	YES	YES
Noise level	< 75 dB	< 75 dB	< 75 dB

	EVO 11.0E	EVO 15.0E	EVO 18.5E
Reference	**ST0700014E-SC**	**ST0700015E-SC**	**ST0700016E-SC**
Operators	6	7-8	9-10
Power	11.0-13.0 kW	15.0-18.0 kW	18.5-22.0 kW
Power supply	380 V (3~)	380 V (3~)	380 V (3~)
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Electrical consumption	20-28 A	26-33 A	34-42 A
Motor RPM	3.500 RPM	3.500 RPM	3.500 RPM
Soft-Start	YES	YES	YES
Max. Waterlift	2.800 mmH_2O	2.800 mmH_2O	2.800 mmH_2O
Max. Air-flow	1.214 m^3/h	1.600 m^3/h	1.857 m^3/h
Inverter	YES	YES	YES
Noise level	< 80 dB	< 80 dB	< 80 dB

EVO MECHANICAL MOTOR GROUPS

PRODUCT		REFERENCE
	EVO MECH. CONTROL 4.0 kW	**ST070002-SC**
	EVO MECH. CONTROL 5.5 kW	**ST070003-SC**
	EVO MECH. CONTROL 7.5 kW	**ST070004-SC**
	EVO MECH. CONTROL 11.0 kW	**ST070006-SC**

TECHNICAL CHARACTERISTICS

	EVO 4.0M	EVO 5.5M	EVO 7.5M	EVO 11.0M
Reference	**ST070002-SC**	**ST070003-SC**	**ST070004-SC**	**ST070006-SC**
Operators	2	3	4	5
Power	4.0 kW	5.5 kW	7.5 kW	11.0kW
Power supply	380 V (3~)	380 V (3~)	380 V (3~)	380 V (3~)
Frecuency	50 Hz	50 Hz	50 Hz	50 Hz
Electrical consumption	15 A	16 A	18 A	28 A
Motor RPM	2.900 RPM	2.900 RPM	2.900 RPM	2.900 RPM
Soft-Start	YES	YES	YES	YES
Max. Waterlift	2.800 mmH_2O	2.500 mmH_2O	2.500 mmH_2O	2.800 mmH_2O
Max. Air-flow	420 m^3/h	550 m^3/h	720 m^3/h	820 m^3/h
Inverter	NO	NO	NO	NO
Noise Level	< 75 dB	< 75 dB	< 75 dB	< 75 dB

EVODUST SEPARATOR

PRODUCT		REFERENCE
	without self-cleaning facility	
	EVODUST DC80	**ST3320.0-SC**
	EVODUST DC160	**ST3340.0-SC**
	with self-cleaning facility	
	EVODUST DC80A	**ST3320.0A-SC**
	EVODUST DC160A	**ST3340.0A-SC**

TECHNICAL CHARACTERISTICS


	DC80	DC80A	DC160	DC160A
Reference	**ST3320.0-SC**	**ST3320.0A-SC**	**ST3340.0-SC**	**ST3340.0A-SC**
Operators	2-4	2-4	4-6	4-6
Power supply Self-Cleaning sys.	NO	220 V (2~)	NO	220 V (2~)
Frequency Self-Cleaning sys.	NO	50/60 Hz	NO	50/60 Hz
Power Self-Cleaning sys.	NO	1 CV	NO	1 CV
Compressor pressure	NO	4 bar	NO	4 bar
Air tank capacity	NO	11 L	NO	11 L
Filter surface area	5.0 m^2	5.0 m^2	10.0 m^2	10.0 m^2
Filter material	Polyester	Polyester	Polyester	Polyester
Weight	55 kg	74 kg	80 kg	95 kg
Measures	70x70x162cm	70x70x162cm	85x85x162cm	85x85x162cm
Ø Inlet/Outlet	80mm	80mm	100mm	100mm

Combinations of Evo Motor groups

POSSIBLE COMBINATIONS OF EVO MOTOR GROUPS

OPERATORS	DUST SEPARATOR	EVO MOTOR 1	EVO MOTOR 2	INLET VALVES
5	DC160 / DC160A	5.5kW ELEC. CONTROL	4kW MECH. CONTROL	100
6	DC160 / DC160A	7.5kW ELEC. CONTROL	4kW MECH. CONTROL	120
7	DC160 / DC160A	7.5kW ELEC. CONTROL	5.5kW MECH. CONTROL	140
8	2x DC160 / DC160A	9.0kW ELEC. CONTROL	5.5kW MECH. CONTROL	160
9	2x DC160 / DC160A	9.0kW ELEC. CONTROL	7.5kW MECH. CONTROL	180
10	2x DC160 / DC160A	11.0kW ELEC. CONTROL	7.5kW MECH. CONTROL	200
11	2x DC160 / DC160A	15.0kW ELEC. CONTROL	5.5kW MECH. CONTROL	220
12	2x DC160 / DC160A	15.0kW ELEC. CONTROL	7.5kW MECH. CONTROL	240
13	2x DC160 / DC160A	18.5kW ELEC. CONTROL	5.5kW MECH. CONTROL	260
14	2x DC160 / DC160A	18.5kW ELEC. CONTROL	7.5kW MECH. CONTROL	280

* IT IS POSSIBLE TO COMBINE A SINGLE ELECTRONIC MOTOR GROUP WITH UP TO THREE MECHANICAL MOTOR GROUPS PROVIDING BACK-UP



CYCLONIC HOPPER WITH DUST TANK

PRODUCT		REFERENCE
	Cyclonic Hopper with dust tank suitable for an airflow up to 500m³/h – 80mm Ø connections	**ST503-SC**
	Cyclonic Hopper with dust tank suitable for an airflow up to 800m³/h – 100mm Ø connections	**ST504-SC**

CYCLONIC HOPPER WITH PERPETUAL ROTATING DISCHARGE VALVE AND ELEVATION FRAME

PRODUCT		REFERENCE
	Cyclonic Hopper suitable for an airflow up to 800m³/h – 100mm Ø connections	**ST501-SC**
	Cyclonic Hopper suitable for an airflow up to 1.000m³/h – 152mm Ø connections	**ST502-SC**


INLET VALVES AND ACCESSORIES FOR HOSES Ø38/50MM

PRODUCT	REFERENCE
 STAINLESS STEEL INDUSTRIAL VALVE Ø38 (WITH MICROSWITCH)	**TA8001-SC**
 STAINLESS STEEL INDUSTRIAL VALVE FOR ATEX 22 APPLICATIONS Ø38 (WITH MICROSWITCH)	**TA8001AT-SC**
 HOSE VALVE CONNECTOR	**AL8001-SC**
 HOSE VALVE CONNECTOR FOR ATEX 22 APPLICATIONS	**AL8001AT-SC**
 MOPLEN VALVE Ø38 WITHOUT MICROSWITCH	**TA6048-SC/U**
 MOPLEN VALVE Ø38 WITH MICROSWITCH	**TA6049-SC**

ARTICULATING ARMS FOR CAPTURING DUST IN SUSPENSION

PRODUCT	REFERENCE
ARTICULATING ARM Ø80MM 1.5M REACH	**ST-BR-8015-SC**
ARTICULATING ARM Ø100MM 2.0M REACH	**ST-BR-1020-SC**
ARTICULATING ARM Ø125MM 2.0M REACH	**ST-BR-1220-SC**
ARTICULATING ARM Ø160MM 2.0M REACH	**ST-BR-1620-SC**
	Enquire about other diameters and reach lengths


CLEANING TOOLS Ø38/50

PRODUCT	REFERENCE
 CHROME WAND Ø38	**AL8004-SC**
 STAINLESS STEEL FLOOR TOOL 420MM WIDE Ø38	**AL8007-SC**
 PVC FLOOR TOOL 420MM WIDE Ø38	**AL8008-SC**
 PLASTIC CREVICE TOOL Ø38	**AL8009-SC**
 DUSTING BRUSH Ø38	**AL8010-SC**
 CONICAL RUBBER NOZZLE Ø38	**AL8011-SC**

*ALL THE ABOVE TOOLS AND ACCESSORIES ARE AVAILABLE IN Ø50MM - ASK FOR PRICES

INDUSTRIAL HOSE REEL

PRODUCT	REFERENCE
INDUSTRIAL AUTOMATIC HOSE REEL WITH ANTISTATIC HOSE Ø38 9M	**AL8014-SC**



Mount	Meassurement (LxWxH) mm	Ø Hose mm	Hose length (m)	Weight (kg)
Wall	800x240x650	38	8,51	12

* Other diameters and lengths of hose are available to order

Ø38/50 INDUSTRIAL HOSES

PRODUCT	REFERENCE
 ROTATOR CUFF Ø38MM FOR INDUSTRIAL VALVE	**AL8002-SC**
 INDUSTRIAL HOSE Ø38 5M WITH CUFFS	**ML9001/5-SC**
INDUSTRIAL HOSE Ø38 10M WITH CUFFS	**ML9001/10-SC**
 INDUSTRIAL HOSE Ø38 30M LENGTH (WITHOUT CUFFS)	**ML9001/30-SC**
Industrial hose is very flexible and is suitable for the vacuuming of solids, non-abrasive dusts as well as being ideal for general cleaning.	
 CONDUCTIVE CUFF Ø38 FOR CONDUCTIVE HOSE	**AL8002CND-SC**
 CONDUCTIVE HOSE Ø38 5M WITH CUFFS	**ML9002/5-SC**
CONDUCTIVE HOSE Ø38 10M WITH CUFFS	**ML9002/10-SC**
 CONDUCTIVE HOSE Ø38 30M LENGTH (WITHOUT CUFFS)	**ML9002/30-SC**
Industrial conductive hose is very flexible and suitable for the vacuuming of solids and non-abrasive dusts, conductive dusts or materials that may generate electrostatic current. This hose specification is required for all ATEX applications.	
 CONDUCTIVE CUFF Ø38 FOR ANTI-ABRASIVE HOSE	**AL8002SU-SC**
 ANTI-ABRASIVE HOSE Ø38 5M WITH CUFFS	**ML9003/5-SC**
ANTI-ABRASIVE HOSE Ø38 10M WITH CUFFS	**ML9003/10-SC**
ANTI-ABRASIVE HOSE Ø38 30M LENGTH (WITHOUT CUFFS)	**ML9003/30-SC**
Anti-abrasive hose of polyurethane with galvanised steel spiral, for suction and transport of dusts, chips and abrasive material.	


* PLEASE CONTACT US FOR AVAILABILITY OF HOSES IN Ø50MM AND FOR OTHER HOSE QUALITIES AND SPECIAL APPLICATIONS.

GALVANIZED STEEL COMPONENTS FOR COMMERCIAL INSTALLATIONS

	PRODUCT	REFERENCE
	GALV. STEEL PIPE Ø50 3M	**AI8050/3-SC**
	GALV. STEEL PIPE Ø63 3M	**AI8060/3-SC**
	GALV. STEEL PIPE Ø76 3M	**AI8070/3-SC**
	GALV. STEEL PIPE Ø102 3M	**AI8080/3-SC**
	GALV. STEEL PIPE Ø152 3M	**AI8090/3-SC**
	GALV. STEEL ELBOW 90º Ø50	**AI8051-SC**
	GALV. STEEL ELBOW 90º Ø63	**AI8061-SC**
	GALV. STEEL ELBOW 90º Ø76	**AI8071-SC**
	GALV. STEEL ELBOW 90º Ø102	**AI8081-SC**
	GALV. STEEL ELBOW 90º Ø152	**AI8091-SC**
	GALV. STEEL ELBOW 45º Ø50	**AI8052-SC**
	GALV. STEEL ELBOW 45º Ø63	**AI8062-SC**
	GALV. STEEL ELBOW 45º Ø76	**AI8072-SC**
	GALV. STEEL ELBOW 45º Ø102	**AI8082-SC**
	GALV. STEEL ELBOW 45º Ø152	**AI8092-SC**
	GALV. STEEL SINGLE WYE Ø50	**AI8053-SC**
	GALV. STEEL SINGLE WYE Ø63	**AI8063-SC**
	GALV. STEEL SINGLE WYE Ø76	**AI8073-SC**
	GALV. STEEL SINGLE WYE Ø102	**AI8083-SC**
	GALV. STEEL SINGLE WYE Ø152	**AI8093-SC**
	GALV. STEEL REDUCTION Ø63/50	**AI8054-SC**
	GALV. STEEL REDUCTION Ø76/63	**AI8064-SC**
	GALV. STEEL REDUCTION Ø76/50	**AI8058-SC**
	GALV. STEEL REDUCTION Ø102/63	**AI8087-SC**
	GALV. STEEL REDUCTION Ø102/76	**AI8085-SC**
	GALV. STEEL REDUCTION Ø152/102	**AI8095-SC**
	GALV. STEEL PIPE COUPLER Ø50	**AI8055-SC**
	GALV. STEEL PIPE COUPLER Ø63	**AI8065-SC**
	GALV. STEEL PIPE COUPLER Ø76	**AI8075-SC**
	GALV. STEEL PIPE COUPLER Ø102	**AI8084-SC**
	GALV. STEEL PIPE COUPLER Ø152	**AI8095-SC**
	ISOPHONIC CLAMP Ø50	**AI8056-SC**
	ISOPHONIC CLAMP Ø63	**AI8066-SC**
	ISOPHONIC CLAMP Ø76	**AI8076-SC**
	ISOPHONIC CLAMP Ø102	**AI8086-SC**
	ISOPHONIC CLAMP Ø152	**AI8096-SC**

* ENQUIRE ABOUT PIPE AND ACCESSORIES IN STAINLESS STEEL FOR OTHER TYPES OF INSTALLATION.

HELICOIDAL GALVANIZED STEEL FOR EXHAUST OR VENTILATION

PRODUCT		REFERENCE
	H. GALV. STEEL PIPE Ø80 2M H. GALV. STEEL PIPE Ø100 2M H. GALV. STEEL PIPE Ø160 2M	**AI8010-SC** **AI8020-SC** **AI8030-SC**
	H. GALV. STEEL ELBOW 90º Ø80 H. GALV. STEEL ELBOW 90º Ø100 H. GALV. STEEL ELBOW 90º Ø160	**AI8011-SC** **AI8021-SC** **AI8031-SC**
	H. GALV. STEEL ELBOW 45º Ø80 H. GALV. STEEL ELBOW 45º Ø100 H. GALV. STEEL ELBOW 45º Ø160	**AI8012-SC** **AI8022-SC** **AI8032-SC**
	H. GALV. STEEL SINGLE WYE Ø80 H. GALV. STEEL SINGLE WYE Ø100 H. GALV. STEEL SINGLE WYE Ø160	**AI8017-SC** **AI8023-SC** **AI8033-SC**
	GALV. STEEL REDUCTION Ø80/63 GALV. STEEL REDUCTION Ø100/80 GALV. STEEL REDUCTION Ø160/100	**AI8016-SC** **AI8015-SC** **AI8026-SC**
	H. GALV. STEEL PIPE COUPLER Ø80 H. GALV. STEEL PIPE COUPLER Ø100 H. GALV. STEEL PIPE COUPLER Ø160	**AI8014-SC** **AI8024-SC** **AI8035-SC**


Accessories

ACCESSORIES


	PRODUCT	REFERENCE
	RELIEF VALVE Ø63MM	**AST7701.0-SC**
	RELIEF VALVE Ø80MM	**AST7702.0-SC**
	RELIEF VALVE Ø100MM	**AST7703.0-SC**
	CHECK VALVE Ø63MM	**AST7704.0-SC**
	CHECK VALVE Ø80MM	**AST7705.0-SC**
	CHECK VALVE Ø100MM	**AST7706.0-SC**
	METAL MOTOR MUFFLER Ø80MM	**AST5502.0-SC**
	METAL MOTOR MUFFLER Ø100MM	**AST5503.0-SC**
	METAL MOTOR MUFFLER Ø160MM	**AST5504.0-SC**
	DUST BAG FOR EVODUST DC80 (10 PCS.)	**AST8006-SC**
	DUST BAG FOR EVODUST DC160 (10 PCS.)	**AST8007 -SC**
	ANTISTATIC FILTER FOR EVOBLOCK 2.2/3 KW	**AST8001-SC**
	ANTISTATIC FILTER FOR BLOCK 5.5 KW	**AST8004-SC**
	POLYESTER FILTER FOR EVODUST DC80	**AST8002-SC**
	POLYESTER FILTER FOR EVODUST DC160	**AST8003-SC**

* For filters in special materials contact us.

QUADRA INLET VALVE


PRODUCT	REFERENCE	PC/BOX
 QUADRA WHITE	**TA6027BL-SC/U** **TA6027BL-SC**	1 24 (40x40x20cm)
 QUADRA IVORY	**TA6027CR-SC/U** **TA6027CR-SC**	1 24 (40x40x20cm)
 QUADRA BLACK	**TA6027NE-SC/U** **TA6027NE-SC**	1 24 (40x40x20cm)
 QUADRA SILVER	**TA6027PT-SC/U** **TA6027PT-SC**	1 24 (40x40x20cm)
 QUADRA ANTHRACITE	**TA6027AN-SC/U** **TA6027AN-SC**	1 24 (40x40x20cm)

ELIPSE INLET VALVE

PRODUCT	REFERENCE	PC/BOX
 ELIPSE WHITE	**TA6028BL-SC/U** **TA6028BL-SC**	1 24 (40x40x20cm)
 ELIPSE IVORY	**TA6028CR-SC/U** **TA6028CR-SC**	1 24 (40x40x20cm)
 ELIPSE BLACK	**TA6028NE-SC/U** **TA6028NE-SC**	1 24 (40x40x20cm)
 ELIPSE SILVER	**TA6028PT-SC/U** **TA6028PT-SC**	1 24 (40x40x20cm)
 ELIPSE ANTHRACITE	**TA6028AN-SC/U** **TA6028AN-SC**	1 24 (40x40x20cm)

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

STYLE INLET VALVE

PRODUCT	REFERENCE	PC/BOX
 STYLE WHITE	**TA6029BL-SC/U** **TA6029BL-SC**	1 24 (40x40x20cm)
 STYLE IVORY	**TA6029CR-SC/U** **TA6029CR-SC**	1 24 (40x40x20cm)
 STYLE BLACK	**TA6029NE-SC/U** **TA6029NE-SC**	1 24 (40x40x20cm)
 STYLE SILVER	**TA6029PT-SC/U** **TA6029PT-SC**	1 24 (40x40x20cm)
 STYLE ANTHRACITE	**TA6029AN-SC/U** **TA6029AN-SC**	1 24 (40x40x20cm)

DESIGN INLET VALVE

PRODUCT	REFERENCE	PC/BOX
 DESIGN WHITE	**TA6019BL-SC/U** **TA6019BL-SC**	1 20 (30x25x20cm)
 DESIGN IVORY	**TA6019CR-SC/U** **TA6019CR-SC**	1 20 (30x25x20cm)
 DESIGN SILVER	**TA6019PT-SC/U** **TA6019PT-SC**	1 20 (30x25x20cm)

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

Inlet Valves and Trim-Plates

EUROPEAN INLET VALVE

PRODUCT		REFERENCE		PC/BOX
	EUROPEAN WHITE	**TA6012BL-SC/U** **TA6012BL-SC**		1 48 (38x30x21cm)
	EUROPEAN IVORY	**TA6012CR-SC/U** **TA6012CR-SC**		1 48 (38x30x21cm)
	EUROPEAN BLACK	**TA6012NE-SC/U** **TA6012NE-SC**		1 48 (38x30x21cm)
	EUROPEAN LIGHT GREY	**TA6012GC-SC/U** **TA6012GC-SC**		1 48 (38x30x21cm)
	EUROPEAN DARK GREY	**TA6012GO-SC/U** **TA6012GO-SC**		1 48 (38x30x21cm)
	EUROPEAN SPRAY SILVER	**TA6012PT-SC/U** **TA6012PT-SC**		1 48 (38x30x21cm)
	EUROPEAN SPRAY PEWTER	**TA6012GV-SC/U** **TA6012GV-SC**		1 48 (38x30x21cm)
	EUROPEAN SPRAY ANTHRACITE	**TA6012GA-SC/U** **TA6012GA-SC**		1 48 (38x30x21cm)
	EUROPEAN SPRAY BRONZE	**TA6012BR-SC/U** **TA6012BR-SC**		1 48 (38x30x21cm)

TRIM-PLATE FOR EUROPEAN INLET VALVE

PRODUCT		REFERENCE		PC/BOX
	WHITE	**TA6073BL-SC**		-
	IVORY	**TA6073CR-SC**		-
	BLACK	**TA6073NE-SC**		-
	LIGHT GREY	**TA6073GC-SC**		-
	DARK GREY	**TA6073GO-SC**		-
	SPRAY SILVER	**TA6073PT-SC**		-
	SPRAY PEWTER	**TA6073GV-SC**		-
	SPRAY ANTHRACITE	**TA6073GA-SC**		-
	SPRAY BRONZE	**TA6073BR-SC**		-

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

METAL EUROPEAN INLET VALVE


PRODUCT	REFERENCE	PC/BOX
METAL EUROPEAN WHITE	**TA6014BL-SC/U** **TA6014BL-SC**	1 24 (40x20x20cm)
 METAL EUROPEAN IVORY	**TA6014CR-SC/U** **TA6014CR-SC**	1 24 (40x20x20cm)
 METAL EUROPEAN SILVER	**TA6014PT-SC/U** **TA6014PT-SC**	1 24 (40x20x20cm)
 METAL EUROPEAN NICKEL	**TA6014NI-SC/U** **TA6014NI-SC**	1 24 (40x20x20cm)
 METAL EUROPEAN CHAMPAGNE	**TA6014CH-SC/U** **TA6014CH-SC**	1 24 (40x20x20cm)
 METAL EUROPEAN BRONZE	**TA6014BR-SC/U** **TA6014BR-SC**	1 24 (40x20x20cm)

FULL DOOR INLET VALVE

PRODUCT	REFERENCE	PC/BOX
 FULL DOOR WHITE	**TA6011BL-SC/U** **TA6011BL-SC**	1 40 (38x30x21cm)

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

BTICINO INLET VALVE

PRODUCT	REFERENCE		PC/BOX
 BTICINO LIVINGLIGHT WHITE (NO PLATE)	**TA6013LGH-SC**		-
 BTICINO LIVINGLIGHT BLACK (NO PLATE)	**TA6013LIV-SC**		-
 BTICINO LIVINGLIGHT SILVER (NO PLATE)	**TA6013LTC-SC**		-
 BTICINO AXOLUTE SILVER (NO TRIM-PLATE)	**TA6013AXC-SC**		-
 BTICINO AXOLUTE BLACK (NO TRIM-PLATE)	**TA6013AXO-SC**		-

BTICINO LIVINGLIGHT TRIM-PLATES

PRODUCT	REFERENCE		PC/BOX
 BTICINO LIVINGLIGHT JELLY ORANGE	**TA6081AJ-SC**		-
 BTICINO LIVINGLIGHT JELLY BLUE	**TA6081BJ-SC**		-
 BTICINO LIGHT STONE GREY	**TA6081GE-SC**		-
BTICINO LIVINGLIGHT WHITE	**TA6081LB-SC**		-
 BTICINO LIVINGLIGHT TECH TECH	**TA6082TH-SC**		-

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

PRODUCT	REFERENCE		PC/BOX
 BTICINO LIVINGLIGHT PEARL BLUE	**TA6082AN-SC**		-
 BTICINO LIVINGLIGHT SHINY SILVER	**TA6082SA-SC**		-
 BTICINO LIVINGLIGHT PEARL GREY	**TA6082GN-SC**		-

BTICINO AXOLUTE TRIM-PLATES

PRODUCT	REFERENCE		PC/BOX
 BTICINO AXOLUTE POLISHED ALUMINIUM	**TA6083XC-SC**		-
 BTICINO AXOLUTE ANTHRACITE	**TA6083XS-SC**		-
 BTICINO AXOLUTE TITANIUM	**TA6083NX-SC**		-
 BTICINO AXOLUTE GLASS	**TA6083VKA-SC**		-
 BTICINO AXOLUTE ELLIPSE STEEL	**TA6084ACS-SC**		-
 BTICINO AXOLUTE ELLIPSE GOLD	**TA6084OS-SC**		-
 BTICINO AXOLUTE ELLIPSE TITANIUM	**TA6084TC-SC**		-
 BTICINO AXOLUTE ELLIPSE ANTHRACITE	**TA6084XS-SC**		-

Inlet Valves and Trim-Plates

ROUND DOOR INLET VALVE

PRODUCT		REFERENCE		PC/BOX
	ROUND DOOR WHITE	**TA6010BL-SC/U** **TA6010BL-SC**		1 32 (38x30x21cm)
	ROUND DOOR IVORY	**TA6010CR-SC/U** **TA6010CR-SC**		1 32 (38x30x21cm)
	ROUND DOOR LIGHT GREY	**TA6010GC-SC/U** **TA6010GC-SC**		1 32 (38x30x21cm)
	ROUND DOOR DARK GREY	**TA6010GO-SC/U** **TA6010GO-SC**		1 32 (38x30x21cm)
	ROUND DOOR SPRAY SILVER	**TA6010PT-SC/U** **TA6010PT-SC**		1 32 (38x30x21cm)

ROUND DOOR TRIM-PLATES

PRODUCT		REFERENCE		PC/BOX
	WHITE IVORY LIGH GREY DARK GREY SPRAY SILVER	**TA6072BL-SC** **TA6072CR-SC** **TA6072GO-SC** **TA6072GC-SC** **TA6072PT-SC**		- - - - -

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

Inlet Valves and Trim-Plates

SPECIAL INLET VALVES



PRODUCT	REFERENCE		PC/BOX
 UTILITY VALVE	**TA6017BL-SC/U** **TA6017BL-SC**		1 27 (21x21x20cm)
 ENCLOSED UTILITY VALVE	**TA6017-SC**		-
 STAINLESS STEEL FLOOR VALVE	**TA6020AIX-SC**		-
 STRAIGHT FLOOR MOUNTING PLATE	**TA6062-SC**		-
 FLOOR INLET VALVE EXTENSION	**TA6022-SC**		-

EXHAUST VENTS

PRODUCT	REFERENCE		PC/BOX
 EXHAUST VENT WHITE	**TA6076BL-SC**		-
 EXHAUST VENT IVORY	**TA6076CR-SC**		-



* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

MOUNTING PLATES & ACCESSORIES

PRODUCT	REFERENCE	PC/BOX
 CURVED MOUNTING PLATE + ELBOW (RECT VALVES)	**TA6050-SC/U** **TA6050-SC**	1 25 (40x21x20cm)
 STRAIGHT MOUNTING PLATE (RECT VALVES)	**TA6051-SC/U** **TA6051-SC**	1 40 (40x21x20cm)
 CURVED MOUNTING PLATE + ELBOW (SQUARE VALVES)	**TA6052-SC/U** **TA6052-SC**	1 48 (40x40x20cm)
 STRAIGHT MOUNTING PLATE (SQUARE VALVES)	**TA6053-SC/U** **TA6053-SC**	1 40 (40x20x20cm)
 BTICINO CURVED MOUNTING PLATE + ELBOW	**TA6054-SC/U** **TA6054-SC**	1 14 (40x20x20cm)
 BTICINO STRAIGHT MOUNTING PLATE	**TA6055-SC/U** **TA6055-SC**	1 10 (21x21x20cm)
 UNIVERSAL MOUNTING PLATE	**TA6058-SC/U** **TA6058-SC**	1 36 (41x20x20cm)
 SLIMLINE VAC MOUNTING PLATE + ELBOW	**TA6063-SC/U** **TA6063-SC**	1 20 (30x20x20cm)
 BTICINO-SLIMLINE VAC + OVAL ELBOW MOUNTING PLATE	**TA6064-SC/U** **TA6064-SC**	1 20 (30x25x25cm)
 VALVE EXTENSION (RECT. & SQUARE INLET VALVES)	**TA6070-SC/U** **TA6070-SC**	1 60 (21x21x20cm)
 BTICINO INLET VALVE EXTENSION	**TA6071-SC/U** **TA6071-SC**	1 40 (21x21x20cm)


* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

SWEEP INLETS

PRODUCT	REFERENCE	PC/BOX
 SWEEP INLET WHITE	**TA6025BL-SC/U** **TA6025BL-SC**	1 20 (52x33x26cm)
 SWEEP INLET IVORY	**TA6025CR-SC/U** **TA6025CR-SC**	1 20 (52x33x26cm)
 SWEEP INLET BLACK	**TA6025NE-SC/U** **TA6025NE-SC**	1 20 (52x33x26cm)
 SWEEP INLET LIGHT GREY	**TA6025GC-SC/U** **TA6025GC-SC**	1 20 (52x33x26cm)
 SWEEP INLET DARK GREY	**TA6025GO-SC/U** **TA6025GO-SC**	1 20 (52x33x26cm)
 SWEEP INLET SPRAY SILVER	**TA6025PT-SC/U** **TA6025PT-SC**	1 20 (52x33x26cm)
 SWEEP INLET POLISHED STEEL	**TA6025AP-SC/U**	-
 SWEEP INLET STAINLESS STEEL TRIM-PLATE	**TA6075ACEX-SC**	-
 SWEEP INLET CONNECTION KIT	**AI9033-SC**	-
 POWER REGULATOR FOR SWEEP INLET	**TA6025/POT-SC**	-

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.


TOOLS

PRODUCT		REFERENCE		EACH
	COMBINATION TOOL WITH METAL BASE	**AL7001-SC**		-
	COMBINATION TOOL WITH PVC BASE	**AL7002-SC**		-
	COMBINATION TOOL WITH METAL BASE AND HORSE HAIR FILL	**AL7054-SC**		-
	360° SWIVEL TOOL	**AL7057-SC**		-
	COMBINATION TOOL WITH FELT PAD	**AL7011-SC**		-
	HARD FLOOR TOOL 30CM	**AL7010-SC**		-
	HARD FLOOR TOOL WITH WHEELS AND HORSE HAIR FILL 36CM	**AL7009-SC**		-
	HARD FLOOR TOOL WITH WHEELS AND SYNTHETIC FILL 36CM	**AL7056-SC**		-
	ABSORBANT MOPHEAD GREEN	**AL7005VD-SC**		-
	TURBO II HEAVY DUTY CARPET TOOL	**AL7018-SC**		-
	TURBO BRUSH	**AL7035-SC**		-
	MINI TURBO BRUSH	**AL7019-SC**		-

TOOLS

PRODUCT		REFERENCE		EACH
	SUPER MINI TURBO BRUSH	**AL7059-SC**		-
	CREVICE TOOL	**AL7013-SC**		-
	FLAT CREVICE TOOL	**AL7052-SC**		-
	UPHOLSTERY TOOL	**AL7014-SC**		-
	FLAT UPHOLSTERY TOOL	**AL7053-SC**		-
	DUST BRUSH	**AL7015-SC**		-
	WALL BRUSH	**AL7016-SC**		-
	MICRO VACUUM SET	**AL7038-SC**		-
	FLAT MULTI-PURPOSE FLEXIBLE WAND	**AL7058-SC**		-
	PET HAIR BRUSH	**AL7036-SC**		-
	PET GROOMING BRUSH	**AL7060-SC**		-
	PLAY VAC	**AL7073-SC**		-

TOOLS

PRODUCT		REFERENCE		EACH
	VACUUM DRILL ACCESSORY	**AL7037-SC**		-
	HOSE SOCK 8M HOSE SOCK 10M HOSE SOCK 12M HOSE SOCK 15M	**AL7065-SC** **AL7066-SC** **AL7067-SC** **AL7065/15-SC**		-
	PREMIUM HOSE SOCK 8M PREMIUM HOSE SOCK 10M PREMIUM HOSE SOCK 12M PREMIUM HOSE SOCK 15M	**AL7077/8-SC** **AL7077/10-SC** **AL7077/12-SC** **AL7077/15-SC**		-
	HOSE SOCK WITH ZIP 8M HOSE SOCK WITH ZIP 10M HOSE SOCK WITH ZIP 12M	**AL7068-SC** **AL7069-SC** **AL7070-SC**		-
	INTERCEPTOR KIT FOR LIQUIDS AND ASH	**AL7033-SC**		-
	CAR KIT	**AL7061-SC**		-
	HOSE HANDLE FILTER FOR LIQUIDS AND SOLID OBJECTS	**AL7047-SC**		-
	WAND TOOL HOLDER Ø32 WAND TOOL HOLDER Ø35	**AL7021-SC** **AL7021/35-SC**		-
	WALL WAND HOLDER	**AL7024-SC**		-
	STANDARD HOSE HANGER	**AL7022-SC**		-
	TOOL CADDY BAG	**AL7025-SC**		-
	PIPE CLEANING KIT (4 PCS) PIPE CLEANING KIT (6 PCS)	**AL7048-SC** **AL7049-SC**		-

TOOLS

PRODUCT	REFERENCE		EACH
 ALUMINIUM TELESCOPIC WAND Ø32MM ALUMINIUM TELESCOPIC WAND Ø35MM	**AL7027-SC** **AL7062-SC**		-
 CHROME TELESCOPIC WAND Ø32MM CHROME TELESCOPIC WAND Ø35MM	**AL7026-SC** **AL7063-SC**		-
 PVC TELESCOPIC WAND Ø32MM PVC TELESCOPIC WAND Ø35MM	**AL7050-SC** **AL7064-SC**		-
 ADAPTOR RING FROM Ø35 TO Ø32	**GEN122-SC**		-
 ADAPTOR FROM Ø32 TO Ø35	**GEN123-SC**		-
WESSEL-WERK FLOOR TOOLS **NEW**			
 TURBO BRUSH Ø32 - Ø35	**AL7074-SC**		-
 COMBINATION TOOL Ø32 - Ø35	**AL7075-SC**		-
 HARD FLOOR TOOL Ø32 - Ø35	**AL7076-SC**		-
 CARPET ATTACHMENT FOR HARD FLOOR TOOL Ø32 - Ø35	**AL7076/ACOP-SC**		-
 MOP ATTACHMENT FOR HARD FLOOR TOOL Ø32 - Ø35	**AL7076/MOP-SC**		-
 W-W ELECTRIC TURBO BRUSH WITH BATTERY - 21,6V 3,5Ah	**Ø35 AL7080-SC** **Ø32 AL7080/32-SC**		-

ECO BRUSHES


PRODUCT		REFERENCE		EACH
	CARPET/FLOOR TOOL (PVC BOTTOM) BASIC Ø32	**AL7079-SC**		-
	CARPET/FLOOR TOOL (METAL BOTTOM) BASIC Ø32	**AL7081-SC**		-
	3 BRUSHES SET Ø32 (UPHOLSTERY AND CREVICE TOOL AND DUST BRUSH)	**AL7078-SC**		-
	4 BRUSHES SET Ø32 (UPHOLSTERY AND CREVICE TOOL, DUST BRUSH AND WAND TOOL HOLDER)	**AL7082-SC**		-

SPARE PARTS FOR CLEANING TOOLS


PRODUCTO		REFERENCE	PRICE	EACH
	ABSORBANT MOP-HEAD REPLACEMENT FOR AL7005VD-SC	**AL7034-SC**		-
	CARPET ATTACHMENT FOR COMBINATION TOOL AL7011-SC	**GEN044-SC/U**		-

Hoses

STANDARD HOSE Ø32MM


PRODUCT		REFERENCE
	HOSE LENGTH 25M HOSE LENGTH 8M HOSE LENGTH 10M HOSE LENGTH 12M	**ML8009-SC** **ML8001/8-SC** **ML8001/10-SC** **ML8001/12-SC**
	CHROME CURVED WAND FOR STANDARD HOSE	**ML8007-SC**
	HOSE END CUFF FOR STANDARD HOSE	**ML8008-SC**
	STANDARD HOSE 8M STANDARD HOSE 10M STANDARD HOSE 12M	**ML8010/8-SC** **ML8010/10-SC** **ML8010/12-SC**

STANDARD HOSE Ø35MM


PRODUCT		REFERENCE
	HOSE LENGTH 25M HOSE LENGTH 8M HOSE LENGTH 10M HOSE LENGTH 12M	**ML8005-SC** **ML8002/8-SC** **ML8002/10-SC** **ML8002/12-SC**
	CHROME CURVED WAND FOR STANDARD HOSE	**ML8003-SC**
	HOSE END CUFF FOR STANDARD HOSE	**ML8004-SC**
	STANDARD HOSE 8M STANDARD HOSE 10M STANDARD HOSE 12M	**ML8016/8-SC** **ML8016/10-SC** **ML8016/12-SC**

Hoses

FLEXILIGHT STANDARD HOSE Ø32MM

PRODUCT		REFERENCE
	HOSE LENGTH 8M HOSE LENGTH 10M HOSE LENGTH 12M	**ML8017/32/8-SC** **ML8017/32/10-SC** **ML8017/32/12-SC**
	CHROME CURVED WAND FOR STANDARD HOSE	**ML8007-SC**
	HOSE END CUFF FOR STANDARD HOSE	**ML8008-SC**
	FLEXILIGHT HOSE 8M FLEXILIGHT HOSE 10M FLEXILIGHT HOSE 12M	**ML8018/32/8-SC** **ML8018/32/10-SC** **ML8018/32/12-SC**

FLEXILIGHT STANDARD HOSE Ø35MM

PRODUCT		REFERENCE
	HOSE LENGTH 8M HOSE LENGTH 10M HOSE LENGTH 12M	**ML8017/35/8-SC** **ML8017/35/10-SC** **ML8017/35/12-SC**
	CHROME CURVED WAND FOR STANDARD HOSE	**ML8003-SC**
	HOSE END CUFF FOR STANDARD HOSE	**ML8004-SC**
	FLEXILIGHT HOSE 8M FLEXILIGHT HOSE 10M FLEXILIGHT HOSE 12M	**ML8018/35/8-SC** **ML8018/35/10-SC** **ML8018/35/12-SC**

Hoses

ON/OFF HOSE (360° HANDLE AND CUFF SWIVEL)

	PRODUCT	REFERENCE
	8M Ø32 ON/OFF HOSE	**ML8012/32/8-SC**
	9M Ø32 ON/OFF HOSE	**ML8012/32/9-SC**
	10M Ø32 ON/OFF HOSE	**ML8012/32/10-SC**
	12M Ø32 ON/OFF HOSE	**ML8012/32/12-SC**
	15M Ø32 ON/OFF HOSE	**ML8012/32/15-SC**
	8M Ø35 ON/OFF HOSE	**ML8012/35/8-SC**
	9M Ø35 ON/OFF HOSE	**ML8012/35/9-SC**
	10M Ø35 ON/OFF HOSE	**ML8012/35/10-SC**
	12M Ø35 ON/OFF HOSE	**ML8012/35/12-SC**
	15M Ø35 ON/OFF HOSE	**ML8012/35/15-SC**

ON/OFF PLUS HOSE (SPEED CONTROL)
(360° HANDLE AND CUFF SWIVEL)

	PRODUCT	REFERENCE
	8M Ø32 ON/OFF PLUS HOSE	**ML8013/32/8-SC**
	9M Ø32 ON/OFF PLUS HOSE	**ML8013/32/9-SC**
	10M Ø32 ON/OFF PLUS HOSE	**ML8013/32/10-SC**
	12M Ø32 ON/OFF PLUS HOSE	**ML8013/32/12-SC**
	15M Ø32 ON/OFF PLUS HOSE	**ML8013/32/15-SC**
	8M Ø35 ON/OFF PLUS HOSE	**ML8013/35/8-SC**
	9M Ø35 ON/OFF PLUS HOSE	**ML8013/35/9-SC**
	10M Ø35 ON/OFF PLUS HOSE	**ML8013/35/10-SC**
	12M Ø35 ON/OFF PLUS HOSE	**ML8013/35/12-SC**
	15M Ø35 ON/OFF PLUS HOSE	**ML8013/35/15-SC**

ON/OFF HOSE WITH 360° HANDLE SWIVEL

	PRODUCT	REFERENCE
	8M Ø32 ON/OFF HOSE	**ML8012/32/8/STD-SC**
	9M Ø32 ON/OFF HOSE	**ML8012/32/9/STD-SC**
	10M Ø32 ON/OFF HOSE	**ML8012/32/10/STD-SC**
	12M Ø32 ON/OFF HOSE	**ML8012/32/12/STD-SC**
	15M Ø32 ON/OFF HOSE	**ML8012/32/15/STD-SC**
	8M Ø32 ON/OFF HOSE	**ML8012/35/8/STD-SC**
	9M Ø32 ON/OFF HOSE	**ML8012/35/9/STD-SC**
	10M Ø32 ON/OFF HOSE	**ML8012/35/10/STD-SC**
	12M Ø32 ON/OFF HOSE	**ML8012/35/12/STD-SC**
	15M Ø32 ON/OFF HOSE	**ML8012/35/15/STD-SC**

Hoses

ON/OFF PLUS HOSE WITH 360° HANDLE SWIVEL

PRODUCT		REFERENCE
	8M Ø32 ON/OFF PLUS HOSE	**ML8013/32/8/STD-SC**
	9M Ø32 ON/OFF PLUS HOSE	**ML8013/32/9/STD-SC**
	10M Ø32 ON/OFF PLUS HOSE	**ML8013/32/10/STD-SC**
	12M Ø32 ON/OFF PLUS HOSE	**ML8013/32/12/STD-SC**
	15M Ø32 ON/OFF PLUS HOSE	**ML8013/32/15/STD-SC**
	8M Ø32 ON/OFF PLUS HOSE	**ML8013/35/8/STD-SC**
	9M Ø32 ON/OFF PLUS HOSE	**ML8013/35/9/STD-SC**
	10M Ø32 ON/OFF PLUS HOSE	**ML8013/35/10/STD-SC**
	12M Ø32 ON/OFF PLUS HOSE	**ML8013/35/12/STD-SC**
	15M Ø32 ON/OFF PLUS HOSE	**ML8013/35/15/STD-SC**

WIRELESS HOSE

PRODUCT		REFERENCE
	8M Ø32 WIRELESS HOSE	**ML8015/8-SC**
	10M Ø32 WIRELESS HOSE	**ML8015/10-SC**
	12M Ø32 WIRELESS HOSE	**ML8015/12-SC**
	8M Ø35 WIRELESS HOSE	**ML8015/35/8-SC**
	10M Ø35 WIRELESS HOSE	**ML8015/35/10-SC**
	12M Ø35 WIRELESS HOSE	**ML8015/35/12-SC**
	WIRELESS RECEIVER	**ML8025-SC**
	WIRELESS TRANSMITTER	**ML8026-SC**

Hoses

OTHER HOSES AND ACCESSORIES

PRODUCT		REFERENCE
	3M HOSE EXTENSION FOR ON/OFF - ON/OFF PLUS HOSES	**ML8014/3-SC**
	STRETCH HOSE 2.4-7.0M	**GEN012-SC**
	STUB TUBE Ø32 FOR ON/OFF - ON/OFF PLUS	**AL7030-SC**
	STUB TUBE Ø35 FOR ON/OFF - ON/OFF PLUS	**AL7072-SC**

VROOM

PRODUCT		REFERENCE
	VROOM 18’ (4.8M)	**VR48-SC**
	VROOM 24’ (6.7M)	**VR67-SC**

Cleaning kits

ECO KIT



- Standard Hose with plastic handle
- Chrome telescopic wand
- Combination tool
- Upholstery tool
- Dust brush
- Crevice tool

ALK7085/32/8-SC (Ø32 8M)
ALK7085/32/10-SC (Ø32 10M)
ALK7085/32/12-SC (Ø32 12M)

ACCESS KIT



- Standard Hose
- PVC Telescopic wand
- Combination tool with metal base and synthetic fill 36cm
- Upholstery tool
- Dust brush
- Crevice tool
- Hose hanger

ALK7080/32/8-SC (Ø32 8M)
ALK7080/32/10-SC (Ø32 10M)
ALK7080/32/12-SC (Ø32 12M)

ALK7080/35/8-SC (Ø35 8M)
ALK7080/35/10-SC (Ø35 10M)
ALK7080/35/12-SC (Ø35 12M)

FAMILY STANDARD KIT



- Standard hose
- Aluminium telescopic wand
- Hard floor tool with horse hair fill 30cm
- Combination tool with felt pad
- Upholstery tool
- Dust brush
- Crevice tool
- Hose hanger
- Wand tools holder
- Wall wand holder
- Tool cady bag

ALK7065/8-SC (Ø32 8M)
ALK7065/10-SC (Ø32 10M)
ALK7065/12-SC (Ø32 12M)

ALK7065/35/8-SC (Ø35 8M)
ALK7065/35/10-SC (Ø35 10M)
ALK7065/35/12-SC (Ø35 12M)

sach air technologies

Cleaning kits

KIT FAMILY FLEXILIGHT



- FLEXILIGHT hose
- Aluminium telescopic wand
- Hard floor tool with horse hair fill 30cm
- Combination tool with felt pad
- Upholstery tool
- Dust brush
- Crevice tool
- Hose hanger
- Wand tools holder
- Wall wand holder
- Tool cady bag

ALK7084/8-SC (Ø32 8M)
ALK7084/10-SC (Ø32 10M)
ALK7084/12-SC (Ø32 12M)

ALK7084/35/8-SC (Ø35 8M)
ALK7084/35/10-SC (Ø35 10M)
ALK7084/35/12-SC (Ø35 12M)

FAMILY ON/OFF KIT



- ON/OFF hose
- Aluminium telescopic wand
- Hard floor tool with horse hair fill 30cm
- Combination tool with felt pad
- Upholstery tool
- Dust brush
- Crevice tool
- Hose hanger
- Wand tools holder
- Wall wand holder
- Tool cady bag

ALK7063/8-SC (Ø32 8M)
ALK7063/10-SC (Ø32 10M)
ALK7063/12-SC (Ø32 12M)

ALK7063/35/8-SC (Ø35 8M)
ALK7063/35/10-SC (Ø35 10M)
ALK7063/35/12-SC (Ø35 12M)

FAMILY ON/OFF PLUS KIT



- ON/OFF PLUS hose
- Aluminium telescopic wand
- Hard floor tool with horse hair fill 30cm
- Combination tool with felt pad
- Upholstery tool
- Dust brush
- Crevice tool
- Hose hanger
- Wand tools holder
- Wall wand holder
- Tool cady bag

ALK7064/8-SC (Ø32 8M)
ALK7064/10-SC (Ø32 10M)
ALK7064/12-SC (Ø32 12M)

ALK7064/35/8-SC (Ø35 8M)
ALK7064/35/10-SC (Ø35 10M)
ALK7064/35/12-SC (Ø35 12M)

PRO FLEXILIGHT KIT



- FLEXILIGHT hose
- Aluminium telescopic wand
- Combination tool with metal base
- 360° swivel brush
- Flat crevice tool
- Flat upholstery tool
- Dust brush
- Absorbant mophead tool - Green
- Super Mini Turbo brush
- Wand tool holder
- Wall wand holder
- Pro tool caddy bag

ALK7081/32/8-SC (Ø32 8M)
ALK7081/32/10-SC (Ø32 10M)
ALK7081/32/12-SC (Ø32 12M)

ALK7081/35/8-SC (Ø35 8M)
ALK7081/35/10-SC (Ø35 10M)
ALK7081/35/12-SC (Ø35 12M)

PRO ON/OFF KIT



- ON/OFF hose
- Aluminium telescopic wand
- Combination tool with metal base
- 360° swivel brush
- Flat crevice tool
- Flat upholstery tool
- Dust brush
- Absorbant mophead tool - Green
- Super Mini Turbo brush
- Wand tool holder
- Wall wand holder
- Pro tool caddy bag

ALK7082/32/8-SC (Ø32 8M)
ALK7082/32/10-SC (Ø32 10M)
ALK7082/32/12-SC (Ø32 12M)

ALK7082/35/8-SC (Ø35 8M)
ALK7082/35/10-SC (Ø35 10M)
ALK7082/35/12-SC (Ø35 12M)

PRO ON/OFF PLUS KIT



- ON/OFF PLUS hose
- Aluminium telescopic wand
- Combination tool with metal base
- 360° swivel brush
- Flat crevice tool
- Flat upholstery tool
- Dust brush
- Absorbant mophead tool - Green
- Super Mini Turbo brush
- Wand tool holder
- Wall wand holder
- Pro tool caddy bag

ALK7083/32/8-SC (Ø32 8M)
ALK7083/32/10-SC (Ø32 10M)
ALK7083/32/12-SC (Ø32 12M)

ALK7083/35/8-SC (Ø35 8M)
ALK7083/35/10-SC (Ø35 10M)
ALK7083/35/12-SC (Ø35 12M)

QUICK-CLEAN KIT



- Stretch hose 2.4-7.0m
- Aluminium telescopic wand
- Hard floor tool with horse hair fill 30cm
- Upholstery tool
- Dust brush
- Crevice tool
- Wand tools holder

ALK7066-SC (Ø32)

WIRELESS KIT



- Wireless hose
- Wireless receiver
- Wireless transmiter

ALK7067/8-SC (Ø32 8M)
ALK7067/10-SC (Ø32 10M)
ALK7067/12-SC (Ø32 12M)

ALK7067/35/8-SC (Ø35 8M)
ALK7067/35/10-SC (Ø35 10M)
ALK7067/35/12-SC (Ø35 12M)

Cleaning sets

ECO SET



- Chrome telescopic wand
- Combination tool
- Upholstery tool
- Dust brush
- Crevice tool

ALS1004/32-SC (Ø32)
ALS1004/35-SC (Ø35)

ACCESS TOOL SET



- PVC Telescopic wand
- Combination tool with metal base and synthetic fill 36cm
- Upholstery tool
- Dust brush
- Crevice tool
- Hose hanger

ALS1001/32-SC (Ø32)
ALS1001/35-SC (Ø35)

FAMILY TOOL SET



- Aluminium telescopic wand
- Hard floor tool with horse hair fill 30cm
- Combination tool with felt pad
- Upholstery tool
- Dust brush
- Crevice tool
- Hose hanger
- Wand tools holder
- Wall wand holder
- Tool cady bag

ALS1002/32-SC (Ø32)
ALS1002/35-SC (Ø35)

PRO TOOL SET



- Aluminium telescopic wand
- Combination tool with metal base
- Absorbant mophead tool - Green
- 360° swivel brush
- Flat crevice tool
- Flat upholstery tool
- Super Mini Turbo brush
- Wand tool holder
- Wall wand holder
- Dust brush
- Tool caddy bag

ALS1003/32-SC (Ø32)
ALS1003/35-SC (Ø35)




HIDE A HOSE

Hide-A-Hose Central Vacuum Systems


	PRODUCT	REFERENCE	PC/BOX
	HAH INLET VALVE	**HAH1001-SC/U** **HAH1001-SC**	1 12
	HAH VALVE WITH RAL COLOUR *RAL code required of colour to be matched	**HAH1001-RAL**	1
	HAH VALVE WITH WATER TRANSFER FINISH *available in a range of standard water transfer finishes	**HAH1001-WTS**	1
	HAH MOUNTING FRAME FOR DRY WALL	**HAH1002-SC/U** **HAH1002-SC**	1 12
	HAH MOUNTING BOX FOR BRICK WALL	**HAH1003-SC/U** **HAH1003-SC**	1 6

HAH INSTALLATION KIT FOR DRY WALL



- HAH mounting frame for Dry Wall
- Long elbows set
- 10 pcs. PVC Pipe Ø51mm 1.5m
- 5 pcs. F-F Stop coupling Ø51mm
- 10 pcs. Metal pipe strap Ø51mm


HAHK1001-SC



- HAH mounting frame for Dry Wall
- Long elbows set


HAHK1001/STD-SC

HAH INSTALLATION KIT FOR BRICK WALL



- HAH mounting box for Brick Wall
- Long elbows set
- 10 pcs. PVC Pipe Ø51mm 1.5m
- 5 pcs. F-F Stop coupling Ø51mm
- 10 pcs. Metal pipe strap Ø51mm

HAHK1002-SC



- HAH mounting box for Brick Wall
- Long elbows set

HAHK1002/STD-SC

sach air technologies

HAH START-UP KIT WITH RAPIDFLEX HOSE

Lightweight, flexible and easy to use.
Recommended for use with Integravac



- RAPIDFLEX hose without hose sock
- HAH Inlet Valve

HAHK2001/8-SC (8m)
HAHK2001/10-SC (10m)
HAHK2001/12-SC (12m)
HAHK2001/15-SC (15m)

- RAPIDFLEX hose w/ Pre-glued PREMIUM sock
- HAH Inlet Valve

HAHK2005/8-SC (8m)
HAHK2005/10-SC (10m)
HAHK2005/12-SC (12m)
HAHK2005/15-SC (15m)

HAH START-UP KIT WITH LIFLEX HOSE

Suitable for most retractable hose installations



- LIFLEX hose without hose sock
- HAH Inlet Valve

HAHK2003/8-SC (8m)
HAHK2003/10-SC (10m)
HAHK2003/12-SC (12m)
HAHK2003/15-SC (15m)

- LIFLEX hose w/ Pre-glued PREMIUM sock
- HAH Inlet Valve

HAHK2006/8-SC (8m)
HAHK2006/10-SC (10m)
HAHK2006/12-SC (12m)
HAHK2006/15-SC (15m)

HAH START-UP KIT WITH LIFLEX HOSE

Suitable for most retractable hose installations




- LIFLEX hose with STD sock - NO Pre-glued
- HAH Inlet Valve

HAHK2004/8-SC (8m)
HAHK2004/10-SC (10m)
HAHK2004/12-SC (12m)
HAHK2004/15-SC (15m)

X-TENDA


	PRODUCT	REFERENCE	PCS/BOX
	X-TENDA MOUNTING PLATE AND INLET VALVE FOR DRYWALL	**XT2001-SC/U** **XT2001-SC**	1 20
	X-TENDA MOUNTING PLATE AND INLET VALVE FOR BRICKWALL	**XT2002-SC/U** **XT2002-SC**	1 20
	X-TENDA EXTENSION VALVE	**XT2004-SC/U** **XT2004-SC**	1 20
	X-TENDA DOOR WITH FRAME WHITE	**XT2003BL-SC/U** **XT2003BL-SC**	1 20
	X-TENDA DOOR WITH FRAME IVORY	**XT2003CR-SC/U** **XT2003CR-SC**	1 20
	X-TENDA DOOR WITH FRAME BLACK	**XT2003NE-SC/U** **XT2003NE-SC**	1 20
	X-TENDA DOOR WITH FRAME ANTHRACITE	**XT2003AN-SC/U** **XT2003AN-SC**	1 20

X-TENDA INSALLATION KIT FOR DRYWALL



- X-TENDA mounting frame for Dry Wall
- Long elbows set
- 10 pcs. PVC Pipe Ø51mm 1.5m
- 5 pcs. F-F Stop coupling Ø51mm
- 10 pcs. Metal pipe strap Ø51mm


XTK5001/KIT-SC



- X-TENDA mounting frame for Dry Wall
- Long elbows set

XTK5001/SET-SC

X-TENDA INSALLATION KIT FOR BRICK WALL



- X-TENDA mounting box for Brick Wall
- Long elbows set
- 10 pcs. PVC Pipe Ø51mm 1.5m
- 5 pcs. F-F Stop coupling Ø51mm
- 10 pcs. Metal pipe strap Ø51mm

XTK5002/KIT-SC



- X-TENDA mounting box for Brick Wall
- Long elbows set


XTK5002/SET-SC

X-TENDA START UP KIT WITH RAPIDFLEX HOSE Ø32



- RAPIDFLEX Ø32 without sock
- X-TENDA door with frame white

XTK5004/8/BL-SC (8m)
XTK5004/10/BL-SC (10m)
XTK5004/12/BL-SC (12m)
XTK5004/15/BL-SC (15m)



- RAPIDFLEX Ø32 without sock
- X-TENDA door with frame


XTK5004/8/-SC** (8m)
XTK5004/10/-SC** (10m)
XTK5004/12/-SC** (12m)
XTK5004/15/-SC** (15m)

X-TENDA START UP KIT WITH LIFLEX HOSE Ø32



- LIFLEX Ø32 without sock
- X-TENDA door with frame white

XTK5003/8/BL-SC (8m)
XTK5003/10/BL-SC (10m)
XTK5003/12/BL-SC (12m)
XTK5003/15/BL-SC (15m)



- LIFLEX Ø32 without sock
- X-TENDA door with frame

XTK5003/8/-SC** (8m)
XTK5003/10/-SC** (10m)
XTK5003/12/-SC** (12m)
XTK5003/15/-SC** (15m)

ACCESSORIES

PRODUCT		REFERENCE
	RETRACTABLE HOSE HANDLE	**XT1004-SC**
	WIRELESS RETRACTABLE HOSE HANDLE	**XT1004/WR-SC**
	RAPIDFLEX HOSE WITHOUT HOSE SOCK	**XT1005/8-SC** (8M) **XT1005/10-SC** (10M) **XT1005/12-SC** (12M) **XT1005/15-SC** (15M)
	RAPIDFLEX HOSE Ø32 WITHOUT HOSE SOCK FOR X-TENDA	**XT1020/8-SC** (8M) **XT1020/10-SC** (10M) **XT1020/12-SC** (12M) **XT1020/15-SC** (15M)
	RAPIDFLEX HOSE WITH PRE-GLUED PREMIUM HOSE SOCK	**XT1017/8-SC** (8M) **XT1017/10-SC** (10M) **XT1017/12-SC** (12M) **XT1017/15-SC** (15M)
	LIFLEX HOSE WITHOUT HOSE SOCK	**XT1015/8-SC** (8M) **XT1015/10-SC** (10M) **XT1015/12-SC** (12M) **XT1015/15-SC** (15M)
	LIFLEX HOSE WITH PRE-GLUED PREMIUM HOSE SOCK	**XT1018/8-SC** (8M) **XT1018/10-SC** (10M) **XT1018/12-SC** (12M) **XT1018/15-SC** (15M)
	LIFLEX HOSE WITH HOSE SOCK NOT PRE-GLUED	**XT1016/8-SC** (8M) **XT1016/10-SC** (10M) **XT1016/12-SC** (12M) **XT1016/15-SC** (15M)
	HOSE END CAP Ø35 HOSE END CAP Ø32	**XT1006/35-SC** **XT1006-SC**
	HANDLE CONNECTOR WITH O-RING Ø35 (HOSE WITHOUT SOCK)	**XT1013-SC**
	HANDLE CONNECTOR WITH O-RING Ø32 (HOSE WITH SOCK)	**XT1011-SC**
	REPLACEMENT O-RING (1PC.)	**RHAH1002-SC**

CLEANING KIT FOR RETRACTABLE HOSE SYSTEM



- Retractable hose handle
- Aluminium telescopic wand
- Hard floor tool with hose hair fill 30cm
- Combination tool with felt pad
- Upholstery tool
- Crevice tool
- Wall wand holder
- Dust brush
- Wand tools holder
- Tool caddy bag

XTK3001-SC (Ø35)
XTK3001/32-SC (Ø32)

WIRELESS CLEANING KIT FOR RETRACTABLE HOSE SYSTEM



- Retractable hose handle with WIRELESS
- Wireless receiver
- Aluminium telescopic wand
- Hard floor tool
- Upholstery tool
- Crevice tool
- Wall wand holder
- Combination tool
- Dust brush
- Wand tools holder
- Tool caddy bag


XTK3002-SC (Ø35)
XTK3002/32-SC (Ø32)

INSTALLATION MATERIAL FOR RETRACTABLE HOSE SYSTEM

PRODUCT	REFERENCE	PC/BOX
 90° F-F LONG ELBOW	**XT1008/90-SC/U** **XT1008/90-SC**	1 20
 45° F-F LONG ELBOW	**XT1008/45-SC/U** **XT1008/45-SC**	1 25
 22.5° F-F LONG ELBOW	**XT1008/22-SC/U** **XT1008/22-SC**	1 50
 PIPE STOPPER FOR RETRACTABLE SYST.	**XT1014-SC**	

RETRACTABLE SURFACE VALVE

PRODUCT		REFERENCE
	RETRACTABLE SURFACE VALVE	**HAH1004-SC**
	RETRACTABLE SURFACE VALVE WITH HOSE CONNECTORS KIT	**HAH1004/KIT-SC**







HOSES FOR RETRACTABLE SURFACE VALVE

PRODUCT	REFERENCE
 RAPIDFLEX HOSE WITHOUT HOSE SOCK FOR RETRACTABLE SURFACE VALVE	**XT1021/8-SC** (8M) **XT1021/10-SC** (10M) **XT1021/12-SC** (12M) **XT1021/15-SC** (15M)
 LIFLEX HOSE WITHOUT HOSE SOCK FOR RETRACTABLE SURFACE VALVE	**XT1022/8-SC** (8M) **XT1022/10-SC** (10M) **XT1022/12-SC** (12M) **XT1022/15-SC** (15M)

COMPLETE KIT FOR RETRACTABLE SURFACE VALVE

PRODUCT	REFERENCE
COMPLETE KIT FOR RETRACTABLE SURFACE VALVE	**HAHK4001/10-SC** (10M) **HAHK4001/12-SC** (12M)

Comprising:
1 x RETRACTABLE SURFACE VALVE
1 x LIFELEX HOSE
1 x FLAT UPHOLSTERY TOOL (AL7053-SC)
1 x DUST BRUSH (AL7015-SC)
1 x FLAT MULTI-PURPOSE FLEXIBLE WAND (AL7058-SC)
10 x LENGTH OF PVC PIPE Ø51 1.5M
SET OF HAH ELBOWS
1 x 125ML TUBE OF GLUE
5 x F-F STOP COUPLING F-F Ø51
10 x METAL PIPE STRAP Ø51
15M WHITE PARALLEL CABLE 2 x 0.75mm²



COMPLETE SET FOR RETRACTABLE SURFACE VALVE

PRODUCT	REFERENCE
COMPLETE SET FOR RETRACTABLE SURFACE VALVE	**HAHK4002/10-SC** (10M) **HAHK4002/12-SC** (12M)

Comprising:
1 x RETRACTABLE SURFACE VALVE
1 x LIFELEX HOSE
1 x FLAT UPHOLSTERY TOOL (AL7053-SC)
1 x DUST BRUSH (AL7015-SC)
1 x FLAT MULTI-PURPOSE FLEXIBLE WAND (AL7058-SC)
SET OF HAH ELBOWS



INDUSTRIAL RETRACTABLE SYSTEM


PRODUCT		REFERENCE
	INDUSTRIAL RETRACTABLE VALVE	**XT/IND1001-SC**
	D60 90º LARGE RADIUS STAINLESS STEEL ELBOW	**XT/IND1002/90-SC**
	D60 STAINLESS STEEL PIPE 3M	**XT/IND1002-SC**
	D60 STAINLESS STEEL COUPLINGS	**XT/IND1003-SC**
	STAINLESS STEEL REDUCTION D54-60	**XT/IND1004-SC**
	CONDUCTIVE HOSE D38 (M)	**XT/IND1005-SC**




ROBOT AND BASES

PRODUCT		REFERENCE
	VACTRONIC ROBOT VACUUM SERIES 7.1 Suction power to 3300 Pa Battery 5200 mAh Working time 150-180 min Charging time 120-150 min Dimensions 9,8x35x35cm SKU 20-01-V100 Control APP, remote, by voice Brushes 1x main, 2x side Navigation laser and SLAM algorithm In package charging base, remote control, 4 side brushes, power cable, disposable mopping cloth, water tank, additional HEPA filter, cleaning brush.	**RB001/7.1-SC**
	BASE FOR REGULAR VACUUM SYSTEMS	**RB002STD-SC**
	BASE FOR RETRACTABLE VACUUM SYSTEMS	**RB002HAH-SC**









ROBOT SETS

PRODUCT	REFERENCE
 Vactronic Robot Vacuum Series 7.1 Base for regular vacuum system Hose connector  	**RB003STD-SC**
 Vactronic Robot Vacuum Series 7.1 Base for retractable vacuum system Hose connector 	**RB003HAH-SC**




SLIMLINE VAC

	PRODUCT	REFERENCE	PC/BOX
	SLIMLINE VAC PIPE 1,8MM X 1,5M	**AI9101/1,5-SC**	- 300U/PALLET
	SLIMLINE VAC MOUNTING PLATE + ELBOW	**TA6063-SC/U** **TA6063-SC**	- 20 (30x20x20cm)
	BTICINO-SLIMLINE VAC + OVAL ELBOW MOUNTING PLATE	**TA6064-SC/U** **TA6064-SC**	- 20 (25x30x25cm)
	SLIMLINE VAC 45° F-F FRONTAL ELBOW	**AI9102-SC/U** **AI9102-SC**	- 84 (40x30x20cm)
	SLIMLINE VAC 45° M-F FRONTAL ELBOW	**AI9103-SC/U** **AI9103-SC**	- 84 (40x30x20cm)
	SLIMLINE VAC 45° F-F LATERAL ELBOW	**AI9104-SC/U** **AI9104-SC**	- 60 (40x30x20cm)
	SLIMLINE VAC 45° M-F LATERAL ELBOW	**AI9105-SC/U** **AI9105-SC**	- 60 (40x30x20cm)
	SLIMLINE VAC 45° F-F SINGLE WYE	**AI9106-SC/U** **AI9106-SC**	- 42 (40x30x30cm)
	SLIMLINE VAC Ø51 F-F CONVERTER	**AI9107-SC/U** **AI9107-SC/U**	- 16 (20x30x16cm)
	SLIMLINE VAC STOP COUPLING F-F	**AI9108-SC/U** **AI9108-SC**	- 60 (30x20x13cm)
	SLIMLINE VAC PIPE STRAP	**AI9109-SC/U** **AI9109-SC**	- 120 (30x20x13cm)

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

Installation material

SLIMLINE VAC INSTALLATION KIT (VERTICAL LENGTHS ONLY)



- 1 pc. Slimline vac mounting plate + oval elbow
- 2 pcs Slimline VAC pipe 1.8mm 1.5m
- 1 pc Slimline VAC 45° F-F frontal elbow
- 1 pc Slimline VAC 45° M-F frontal elbow
- 1 pc Slimline VAC 45° F-F lateral elbow
- 1 pc Slimline VAC 45° M-F lateral elbow
- 1 pc Slimline VAC - Ø51mm converter
- 2 pcs Slimline VAC stop coupling F-F

KAI9070-SC

SLIMLINE VAC INSTALLATION KIT (COMPLETE INSTALLATION)

	2 Inlet Valves KAI9071-SC	3 Inlet Valves KAI9072-SC
Slimline Vac + Oval Elbow Mounting Plate	2 pcs.	3 pcs.
Slimline Vac Pipe 1,8mm X 1,5M	10 pcs.	14pcs.
Slimline Vac 45° F-F Frontal Elbow	2 pcs.	3 pcs.
Slimline Vac 45° M-F Frontal Elbow	2 pcs.	3 pcs.
Slimline Vac 45° F-F Lateral Elbow	6 pcs.	9 pcs.
Slimline Vac 45° M-F Lateral Elbow	8 pcs.	12pcs.
Slimline Vac 45° F-F Single Wye	2 pcs.	3 pcs.
Slimline Vac - Ø51 F-F Converter	1 pc.	1 pc.
Slimline Vac Stop Coupling F-F	10 pcs.	14pcs.
Slimline Vac Pipe Strap	10 pcs.	14pcs.
Cable ties (10 units pack)	2 pcs.	3 pcs.
PVC Glue 125ml	1 pc.	2 pcs.
Cable pipe 2x0.75mm 25m	1 pc.	3 pcs.

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

Ø51MM MATERIAL

PRODUCT	REFERENCE	PC/BOX
 PVC PIPE Ø51 1,6MM X 1,5M	**AI9008/1,5-SC**	- 300U/PALLET
 PVC PIPE Ø51 1,6MM X 2,0M	**AI9009/2,0-SC**	- 300U/PALLET
 45° F-F ELBOW Ø51	**AI9034-SC/U** **AI9034-SC**	- 90 (38x29x21cm)
 45° M-F ELBOW Ø51	**AI9013-SC/U** **AI9013-SC**	- 85 (38x29x21cm)
 90° F-F SWEEP ELBOW Ø51	**AI9011-SC/U** **AI9011-SC**	- 80 (58x29x31cm)
 90° F-F SWEEP TEE Ø51	**AI9014-SC/U** **AI9014-SC**	- 60 (58x29x31cm)
 45° F-F SINGLE WYE Ø51	**AI9017-SC/U** **AI9017-SC**	- 74 (58x29x31cm)
 45° F-F DOUBLE WYE Ø51	**AI9016-SC/U** **AI9016-SC**	- 65 (38x29x21cm)
 90° F-F SHORT ELBOW Ø51	**AI9020-SC/U** **AI9020-SC**	- 100 (38x29x31cm)
 STOP COUPLING F-F Ø51	**AI9018-SC/U** **AI9018-SC**	- 170 (38x29x21cm)
 STOP COUPLING M-M Ø51	**AI9019-SC/U** **AI9019-SC**	- 175 (38x29x21cm)

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

Ø51MM MATERIAL

PRODUCT	REFERENCE		PC/BOX
 VAC SLIP CAP Ø51	**AI9028-SC/U** **AI9028-SC**		- 85 (21x21x18cm)
 PIPE CLIP Ø51	**AI9036-SC/U** **AI9036-SC**		1 100 (40x20x20cm)

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

CVI HANDY BAG

		1 Point KAI9063-SC	2 Points KAI9064-SC
	Curved mounting plate + elbow TA6052-SC/U	1 pcs.	2 pcs.
	Stop Coupling F-F Ø51 AI9018-SC/U	4 pcs.	5 pcs.
	90° F-F Sweep Elbow Ø51 AI9011-SC/U	2 pcs.	4 pcs.
	45° F-F Elbow Ø51 AI9013-SC/U	2 pcs.	2 pcs.
	45° M-F Elbow Ø51 AI9034-SC/U	2 pcs.	2 pcs.
	90° F-F Sweep Tee Ø51 AI9014-SC/U	1 pcs.	2 pcs.
	Pipe clip Ø51 AI9036-SC/U	3 pcs.	6 pcs.
	PVC Glue 125ml AI9037-SC/U	1 pcs.	1 pcs.

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

INSTALLATION KIT

		KAI9050-SC	KAI9051-SC	KAI9052-SC	KAI9053-SC	KAI9054-SC	KAI9055-SC	KAI9056-SC	KAI9057-SC	KAI9058-SC	KAI9059-SC
	Points	1	2	3	4	5	6	7	8	9	10
	PVC Pipe Ø51mm 1.6m X 1.5m AI9008/1.5-SC/U	6	10	14	20	24	28	32	38	42	48
	Stop Coupling F-F Ø51 AI9018-SC/U	4	5	6	8	10	12	14	16	18	20
	90° F-F Sweep Elbow Ø51 AI9011-SC/U	2	4	6	8	10	12	14	16	18	20
	45° F-F Elbow Ø51 AI9013-SC/U	2	2	3	4	5	6	7	8	9	10
	45° M-F Elbow Ø51 AI9034-SC/U	2	2	3	4	4	5	6	6	7	7
	90° F-F Sweep Tee Ø51 AI9014-SC/U	1	2	3	4	5	6	7	8	9	10
	Pipe clip Ø51 AI9036-SC/U	3	6	9	12	15	18	21	24	27	30
	PVC Glue 125ml AI9037-SC/U	1	1	2	2	2	3	3	4	4	4
	Cable ties (10 units pack) AI9023-SC	1	2	3	4	5	6	7	8	9	10
	Cable pipe 2x0.75mm KAI9041-SC	1	1	2	3	4	4	5	6	7	8

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

COMMERCIAL CENTRAL VACUUM FITTINGS

PRODUCT	REFERENCE
 PVC PIPE 2,2MM X Ø50 2M PVC PIPE 2,2MM X Ø63 2M PVC PIPE 3,0MM X Ø80 2M PVC PIPE 3,0MM X Ø100 2M	**AI7050/2-SC** **AI7060/2-SC** **AI7070/2-SC** **AI7080/2-SC**
 45° F-F ELBOW Ø50 45° F-F ELBOW Ø63 45° F-F ELBOW Ø80 45° F-F ELBOW Ø100	**AI7051-SC** **AI7061-SC** **AI7071-SC** **AI7081-SC**
 45° M-F ELBOW Ø50 45° M-F ELBOW Ø63 45° M-F ELBOW Ø80 45° M-F ELBOW Ø100	**AI7052-SC** **AI7062-SC** **AI7072-SC** **AI7082-SC**
 90° F-F ELBOW Ø50 90° F-F ELBOW Ø63 90° F-F ELBOW Ø80 90° F-F ELBOW Ø100	**AI7058-SC** **AI7068-SC** **AI7078-SC** **AI7088-SC**
 45° F-F SINGLE WYE Ø50 45° F-F SINGLE WYE Ø63 45° F-F SINGLE WYE Ø80 45° F-F SINGLE WYE Ø100	**AI7053-SC** **AI7063-SC** **AI7073-SC** **AI7083-SC**
 45° M-F SINGLE WYE Ø50 45° M-F SINGLE WYE Ø63 45° M-F SINGLE WYE Ø80 45° M-F SINGLE WYE Ø100	**AI7054-SC** **AI7064-SC** **AI7074-SC** **AI7084-SC**
 90° F-F SWEEP WYE Ø50 90° F-F SWEEP WYE Ø63 90° F-F SWEEP WYE Ø80 90° F-F SWEEP WYE Ø100	**AI7059-SC** **AI7069-SC** **AI7077-SC** **AI7086-SC**
 STOP COUPLING F-F Ø50 STOP COUPLING F-F Ø63 STOP COUPLING F-F Ø80 STOP COUPLING F-F Ø100	**AI7055-SC** **AI7065-SC** **AI7075-SC** **AI7085-SC**
 REDUCTION Ø63-Ø50 REDUCTION Ø80-Ø50 REDUCTION Ø80-Ø63 REDUCTION Ø100-Ø63 REDUCTION Ø100-Ø80	**AI7056-SC** **AI7057-SC** **AI7066-SC** **AI7067-SC** **AI7076-SC**

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

OTHER INSTALLATION MATERIAL

PRODUCT	REFERENCE	PC/BOX
 ELECTRICAL CONDUIT 2x0.75MM 25M	**KAI9041-SC**	-
 ELECTRICAL CONDUIT 2x0.75MM 50M	**KAI9042-SC**	-
 ELECTRICAL CONDUIT 2x0.75MM 100M	**KAI9043-SC**	-
 LOW VOLTAGE WIRE 2x1MM 100M	**KAI9045-SC**	-
 CABLE TIES (100PCS)	**AI9023-SC**	-
 PVC GLUE 125ML	**AI9037-SC/U** **AI9037-SC**	1 25 (20x20x20cm)
 PVC GLUE 250ML	**AI9021-SC/U** **AI9021-SC**	- 8 (21x21x18cm)
 PVC GLUE 500ML	**AI9022-SC/U** **AI9022-SC**	- 4 (21x21x18cm)
 METAL PIPE STRAP Ø51MM	**AI9024-SC**	-
 METAL PIPE STRAP Ø63MM	**AI9025-SC**	-

* The colour of the electrical conduit may vary

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

OTHER INSTALLATION MATERIAL

	PRODUCT	REFERENCE		PC/BOX
	METAL PIPE STRAP Ø80MM	**AI9026-SC**		-
	METAL PIPE STRAP Ø100MM	**AI9029-SC**		-
	SWEEP INLET CONNECTION KIT	**AI9033-SC**		-
	SWEEP INLET CONNECTOR HOSE 30M	**AI9030-SC**		-
	SWEEP INLET CONNECTION STRAP	**AI9031-SC**		-
	STOP COUPLING REDUCER Ø51-Ø50	**GEN073-SC**		-
	MOUNTING PLATE SHORT ELBOW Ø50/51MM	**TA6052D-SC**		-

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

MOTORS

PRODUCT	REFERENCE
 ECO 160 / 160 MINI MOTOR	**R10117-SC**
 VAC 1.6 MOTOR	**R10118-SC**
 VAC 1.8 MOTOR	**R10119-SC**
 VAC 2.4 MOTOR	**R10120-SC**
 INTEGRA MOTOR	**RINT0035-SC**
 VAC3 1.5 MOTOR	**RVAC30023-SC**
 VAC3 1.7 MOTOR	**RVAC30024-SC**
 VAC MINI / VAC SUPERMINI MOTOR	**RSM012-SC**

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

ELECTRONIC PCB'S






PRODUCT		REFERENCE	
	ECO RANGE PCB	**R10047-SC**	
	VAC DYNAMIC/DIGITAL 1.6/1.8 PCB (V2023)	**R10196-SC**	
	VAC DYNAMIC/DIGITAL 24 PCB (V2023)	**R10197-SC**	
	VAC DIGITAL 1.6/1.8 PCB (BEFORE 2023)	**R10132-SC**	
	VAC DIGITAL 2.4 PCB (BEFORE 2023)	**R10133-SC**	
	INTEGRA VAC PCB	**RINT0003-SC**	
	VAC3 DYNAMIC/DIGITAL PCB	**R10196-SC**	
	VAC MINI/SUPERMINI PCB	**RSM007-SC**	

FILTERS

PRODUCT	REFERENCE
 DUST BAG SET (5 PCS.) + MOTOR FILTER FOR NEW CONCEPT	**R10064-SC**
 ANTI-BACTERIAL FILTER + MOTOR FILTER FOR ECO 160 MINI	**R10054-SC**
 FIBER DISC FILTER FOR ECO 160 MINI	**R10065-SC**
 HEPA FILTER FOR ECO160	**R7040-CV**
 PRO-TECTA FILTER FOR VAC	**R10141-SC**
 HEPA FILTER FOR VAC	**R10140-SC**
 DUST BAG SET (5 PCS.) FOR INTEGRA	**RINT0022-SC**
 PRO-TECTA FILTER FOR VAC3	**RVAC30051-SC**
 HEPA FILTER FOR VAC3	**RVAC30050-SC**
 DUST BAG FOR VAC3 AND AIRBAG 20L & 28L (3 UDS)	**RVAC30055-SC**
 SELF-CLEANING FILTER FOR VAC3	**RVAC30056-SC**

* All Prices shown for items showing this symbol are for full carton quantities. For quantities of less than a full carton a surcharge of 15% of the indicated unit price will apply.

FILTERS

PRODUCT	REFERENCE	
 HEPA FILTER FOR VAC MINI/SUPERMINI	**RSM006-SC**	
 DUST BAG COUPLERS FOR AIRBAG 20L & 28L	**RSM013-SC**	
 CYCLONIC CONE FOR ECO 160	**R10062-SC**	
 CYCLONIC CONE FOR ECO MINI	**R10062M-SC**	
 CYCLONIC CONE SEAL FOR ECO RANGE	**R10056-SC**	
 CYCLONIC CONE FOR VAC RANGE	**R10143-SC**	
 CYCLONIC CONE SEAL FOR VAC RANGE	**R10142-SC**	
 CYCLONIC CONE FOR VAC3 RANGE	**RVAC30044-SC**	
 EXHAUST BOX (HEPA & ACTIVE CARBON FILTER)	**R10166-SC**	
 HEPA & ACTIVE CARBON FILTER FOR EXHAUST BOX	**R10169-SC**	

OTHER SPARE PARTS

PRODUCT		REFERENCE
	LCD DISPLAY FOR VAC AND VAC3 DIGITAL (V2023)	**R10198-SC**
	LED DISPLAY FOR VAC 3 CONTROL PANEL	**RVAC30002-SC**
	TOUCH FOR VAC DIGITAL	**R10061A-SC**
	TOUCH PCB FOR VAC3 DIGITAL	**RVAC30006-SC**
	PUSH BUTTON FOR VAC3 DIGITAL	**RVAC30075-SC**
	SAFETY SWTICH FOR VAC MINI/SUPERMINI	**RSM008-SC**
	HANGING BRACKET FOR ECO 160	**R10072-SC**
	HANGING BRACKET FOR ECO MINI	**R10072M-SC**
	HANGING BRACKET FOR VAC / VAC3 / MINI&SUPERMINI RANGE	**RVAC30033-SC**

TOOLS

PRODUCT		REFERENCE
	VACUUM GAUGE	**OA151-SC**
	PVC PIPE CUTTER Ø51	**OA152-SC**
	REPLACEMENT BLADE FOR PIPE CUTTER (5 PCS)	**OA153-SC**

General conditions of sale

TERMS AND CONDITIONS

These conditions of sale apply to all contracts of sale or delivery unless otherwise agreed in writing.

PRICES

The prices which appear in this publication are net ex works prices (EXW) Alcorcón, Spain in Euros in accordance with Incoterms 2024. VAT and other taxes or charges are not included and in all cases are for the account of the purchaser.
Similarly, this price list does not include for additional services such as installation, commissioning or any otheractivity which might require travel.

FREIGHT

The prices that appear in this publication don´t include the cost of transport, in any case.

PAYMENT TERMS

Unless agreed to the contrary in writing, all orders are subject to pre-payment. SACH S.L. retains title to the goods until payment has been received. All bank charges resulting from transfers made as payment for orders to be supplied by SACH are for the account of the customer.

ORDERS

All orders are to be confirmed in writing and will be supplied in pack quantities as indicated in the SACH catalogue. Any term inserted in the contract of sale by the Purchaser without prior written agreement on the part of SACH S.L. will be declared null and void.

ACCEPTANCE OF GOODS

It is the responsibility of the Purchaser to check the goods at the time of receipt to verify that the goods received are in marketable condition, and correspond to the sales contract in terms of quantity and description. Any notification of a discrepancy in the delivery needs to be made within 24 hours of receipt of the goods, the Purchaser otherwise foregoing any claim for incorrect supply.

RETURN OF GOODS

Goods may only be returned with prior authorization from SACH. A re-stocking charge of 10% of the invoice value of the goods returned will apply to cover for reception, inspection testing and any deterioration of the product. Any transport costs relating to the return of the goods are for the account of the Purchaser.

PRODUCT GUARANTEE

SACH offers a minimum two year guarantee* on its central vacuum units for domestic applications from the date of installation which must be no more than 6 months from the date of purchase.
SACH offers a one year guarantee on its central vacuum units for commercial applications from the date of installation which must not be more than 6 months from the date of purchase.
SACH offers a one year guarantee on hoses, cleaning tools and other central vacuum accessories.
All our guarantees cover against defective workmanship in the manufacture of the product. They do not cover against defects resulting from incorrect installation or use of the product or inadequate maintenance of the system or cover for the provision of replacement parts due to normal wear and tear.
New guarantees are validated by registering them at www.sachvac.com .

CATALOGUES AND PUBLICATIONS

SACH S.L. reserves the right to modify prices and product information detailed in this Price List, its Catalogues or other publications without prior notice.
All documents provided by SACH S.L to the Purchaser remain confidential and the exclusive property of SACH.
This Price List must not be forwarded to third parties and is not to be reproduced without prior written agreement from SACH S.L.

* with the possibility to extend the guarantee to 5 years subject to terms and conditions.

sach®
air technologies

C/ Vereda de los Barros, 67
Pol.Ind. Ventorro del Cano
289025 Alcorcón, Madrid (Spain)
Tel. +34 91 633 34 93
Fax. +34 91 633 49 31

www.SACHVAC.com

TikTok @sachvacuum
@sachvacuum
@sachvacuum
@sachvac